



**MAKASSAR INTERNATIONAL
CONFERENCE ON PHARMACEUTICAL SCIENCES**

**Faculty of Pharmacy
Universitas Muslim Indonesia**

**“Empowering Natural Products
In Drugs Discovery and Development”**

**MICPS 2021
MAKASSAR, INDONESIA, SEPTEMBER 25-26 2021**

ABSTRACT BOOK

UNIVERSITAS
MUSLIM
INDONESIA



**Kampus
Merdeka
INDONESIA JAYA**

PRESENTED BY:

FAKULTAS
FARMASI



2 DEKADE
FARMASI
UMI



IN COLLABORATION WITH :



UNIVERSITAS SEBELAS MARET
**FACULTY OF
PHARMACY**
DEDICATED TO EXCELLENCE





1st Makassar International Conference on Pharmaceutical Sciences
(MICPS 2021)
Makassar, Indonesia
September 25-26, 2021



Editing, design and realization:

Gabino Garrido
Marisela Valdés
Xavier Garrido
Muammar Fawwaz
Aksar Roskiana Ahmad

Editorial Scientific Council:

Muammar Fawwaz
Aksar Roskiana Ahmad
A. Emelda
Nurmaya Effendi

© Fakultas Farmasi, Universitas Muslim, Indonesia.
© Journal of Pharmacy & Pharmacognosy Research
© About this edition: Journal of Pharmacy & Pharmacognosy Research, October 2021.

eISSN 0719-4250

Digital printing:

Journal of Pharmacy & Pharmacognosy Research (JPPRes)
<http://jppres.com/jppres/>
E-mails: editor@jppres.com; jppres12@gmail.com

Editor's Note: JPPRes is an open access journal distributed under the terms of a Creative Commons Attribution License 4.0 (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. Authors may not use JPPRes information for commercial purposes. Authors may not alter, transform, or build upon this work. Any of these conditions can be waived if you get permission from the copyright holder. Nothing in this license impairs or restricts the author's moral rights.
Abstracts that were not delivered on date or had more than 20% similarity with articles already published, could not be included in this work.
The information in all parts of the book has been reproduced as provided by their respective authors.



1st Makassar International Conference on Pharmaceutical Sciences
(MICPS 2021)
Makassar, Indonesia
September 25-26, 2021



ORGANIZING COMMITTEE

Chairman

Akter Roskiana Ahmad, Ph.D., Universitas Muslim Indonesia, Makassar, Indonesia.

Members

Abd. Malik, Ph.D., Universitas Muslim Indonesia, Makassar, Indonesia.

Bayu Putra, M.Sc., Universitas Muslim Indonesia, Makassar, Indonesia.

Nasrul Haq, S.Farm., Universitas Muslim Indonesia, Makassar, Indonesia.

Rizki Nur Azizah, M.Si, Universitas Muslim Indonesia, Makassar, Indonesia.

Ahmad Najib, M.Farm, Universitas Muslim Indonesia, Makassar, Indonesia.

A. Muflihauna, M.Si, Universitas Muslim Indonesia, Makassar, Indonesia.

Zainal Abidin, M.Farm., Universitas Muslim Indonesia, Makassar, Indonesia.

Rusli, M.Si, Universitas Muslim Indonesia, Makassar, Indonesia.

Virsa Handayani, M.Farm., Universitas Muslim Indonesia, Makassar, Indonesia.

Dr. Hasnaeni, Universitas Muslim Indonesia, Makassar, Indonesia.

Andi Maulana K. Petta Lolo, M.Clin Pharm., Universitas Muslim Indonesia, Makassar, Indonesia.

Ayyub Harly Nurung, M.Sc., Universitas Muslim Indonesia, Makassar, Indonesia.

Amirullah, M.Si, Universitas Muslim Indonesia, Makassar, Indonesia.

Ririn, M.Sc, Universitas Muslim Indonesia, Makassar, Indonesia.

Dr. Asni Amin, Universitas Muslim Indonesia, Makassar, Indonesia.

Aulia Wati, M.Si., Universitas Muslim Indonesia, Makassar, Indonesia.

Fitriana, M.Si., Universitas Muslim Indonesia, Makassar, Indonesia.

Dr. Mirawati, Universitas Muslim Indonesia, Makassar, Indonesia.

Dewi Yuliana, Ph.D., Universitas Muslim Indonesia, Makassar, Indonesia.

Audis Triani Oti, M.Sc., Universitas Muslim Indonesia, Makassar, Indonesia.



1st Makassar International Conference on Pharmaceutical Sciences
(MICPS 2021)
Makassar, Indonesia
September 25-26, 2021



SCIENTIFIC COMMITTEE

Chairman

Muhammad Fauzan, Ph.D., Universitas Muslim Indonesia, Makassar, Indonesia.

Members

Prof. Dr. Shaminah Abdul Rahman, University of Cyberjaya, Malaysia.

Dr. Liew Kai Bin, University of Cyberjaya, Malaysia.

Dr. Masro Mohamad Puad, University of Cyberjaya, Malaysia.

Dr. A. Enelda, Universitas Muslim Indonesia, Makassar, Indonesia.

Nurmaya Effendi, Ph.D., Universitas Muslim Indonesia, Makassar, Indonesia.

Hendra Herman, M.Sc., Universitas Muslim Indonesia, Makassar, Indonesia.

Dr. Mahani Mahadi, University of Cyberjaya, Malaysia.

Dr. Najma Mohamad, University of Cyberjaya, Malaysia.

Dr. Nonthakert Lertsutikul, Chulalongkorn University, Thailand.

Liu Jie, Ph.D., Kyoto University, Kyoto, Japan.

Faradiba, Ph.D., Universitas Muslim Indonesia, Makassar, Indonesia.

MASTER OF CEREMONY

Shelby Andra Maghyfrak.



1st Makassar International Conference on Pharmaceutical Sciences
(MICPS 2021)
Makassar, Indonesia
September 25-26, 2021



INVITE AND ORGANIZE



SPECIAL SPONSORS



PUBLIC AND PRIVATE PARTNERS





1st Makassar International Conference on Pharmaceutical Sciences
(MICPS 2021)
Makassar, Indonesia
September 25-26, 2021



STATEMENT OF PEER REVIEW

*1st Makassar International Conference on Pharmaceutical Sciences
(MICPS 2021)*

Makassar, Indonesia

September 25-26, 2021.

In submitting Conference Proceedings to this special issue of Journal of Pharmacy & Pharmacognosy Research (JPPRes), we certify to the Publisher that we adhere to the Editorial Policy of JPPRes in order to safeguard a good scientific practice in publishing.

Moreover, we manifest that all articles have been subject to peer review administered by the proceeding's editors. Also, reviewers have been conducted by expert referees, who have been requested to provide unbiased and constructive comments aimed, whenever possible, at improving the work. Proceeding's editors have taken all reasonable steps to ensure the quality of the materials they publish and their decision to accept or reject a paper for publication has been based only on the merits of the work and the relevance to the journal.

Proceeding's editors:

Muhammad Fauwaz, Ph.D.

Conference representative

1st Makassar International Conference on Pharmaceutical Sciences.



1st Malakassar International Conference on Pharmaceutical Sciences
(MICPS 2021)
Malakassar, Indonesia
September 25-26, 2021



PREFACE

The Faculty of Pharmacy was established in 2001 and become the 12th faculty in the Universitas Muslim Indonesia (UMI), Malakassar, Indonesia. Faculty of Pharmacy manages 2 programs: bachelor of pharmacy and pharmacist education.

The Faculty of Pharmacy contributes to improving the quality of life for the local community by applying the research results and those researches were published in the high impact factor journal as the aim of the Faculty of Pharmacy to increase the quality and number of publications. Therefore, the Faculty of Pharmacy as organizer proudly present the 1st Malakassar International Conference on Pharmaceutical Sciences (MICPS) 2021. The areas of pharmaceutical sciences are a group of interdisciplinary topics of study concerned in pharmaceutical chemistry, pharmacognosy and phytochemistry, pharmacology and clinical pharmacy, pharmaceutical microbiology, pharmaceuticals and health sciences.

The 1st MICPS aims to provide a platform for academics, researchers, professionals, administrators, educational leaders, policymakers, industry representatives, advanced students, and anyone in the domain of interest from around the world to discuss pharmaceutical sciences. Also, the conference purposes to publish a complete and reliable source of information on pharmaceutical sciences and practices with a strong emphasis on originality and scientific quality.

We welcome proposals for papers and invitations for abstract submissions are now open for oral presentations covering current research and new processes. All contributions should be of high quality. During the review period, papers will be reviewed by eminent scholars in the respective areas.

apt. Rachmat Kosman, S.Si, M.Kes.
Dean of Faculty of Pharmacy
Universitas Muslim Indonesia
Malakassar, Indonesia



1st Makassar International Conference on Pharmaceutical Sciences
(MICPS 2021)
Makassar, Indonesia
September 25-26, 2021



CONFERENCE PROGRAM
RUNDOWN OF INTERNATIONAL CONFERENCE
Topic: Empowering Natural Product on Drug Discovery and Development

Sunday, 25 September 2021

TIME (WITA/ GMT+8)	AGENDA
08.30 – 09.00	Open room Zoom
09.00 – 09.10	Opening by Master of Ceremony (MC)
09.10 – 09.30	Reciting Al-Quran
09.30 – 09.45	Committee report
	Welcome speech by:
09.45 – 11.00	Dean of Faculty of Pharmacy UMI
11.00 – 11.30	Rector of Universitas Muslim Indonesia
11.30 – 12.00	Closing



RUNDOWN OF INTERNATIONAL CONFERENCE

Topic: Empowering Natural Product on Drug Discovery and Development

Sunday, 26 September 2021

TIME (WITA / GMT+8)	AGENDA
07.30 – 08.00	Open room Zoom
08.00 – 08.30	Opening speech: - Committee - Dean of Faculty of Pharmacy UMI
08.30 – 09.00	Section I Speaker I: Prof. Abdul Mun'im, Ph.D. Moderator: apt. Muammar Fawwan, Ph.D.
09.00 – 09.20	Question and Answer
09.20 – 09.50	Section II Speaker II: Assoc. Prof. Kyoko Nakagawa-Goto, Ph.D. Moderator: apt. Faradiba, Ph.D.
09.50 – 10.10	Question and Answer
10.10 – 10.40	Section III Speaker III: Assoc. Prof. Waranyoo Phoelcharoen, Ph.D. Moderator: apt. Aktsar Roskiana Ahmad, Ph.D.
10.40 – 11.00	Question and Answer
11.00 – 11.30	Section IV Speaker IV: Assoc. Prof. Dr. Shamima Binti Abdul Rahman Moderator: apt. Nurmaya Effendi, Ph.D.
11.30 – 12.00	Question and Answer
12.00 – 13.00	Break and Prayer time (Salat)
13.00 – 13.30	Section V Speaker V: Assoc. Prof. Kenneth Thernann Kongstad, Ph.D. Moderator: apt. Abdul Malik, Ph.D.
13.30 – 13.50	Question and Answer



RUNDOWN OF ORAL PRESENTATION

Sunday, 26 September 2021

TIME	EVENT
14.00 - 14.30	Open room Zoom
14.30 - 16.15	Section of oral parallel presentation in 8 zoom rooms consist of several scopes including: Pharmaceutical Chemistry (PCH) Pharmacognosy and Phytochemistry (PP) Pharmacology and Clinical Pharmacy (PCL) Pharmaceutical Microbiology (PM) Pharmaceutics (P) Health Sciences (HS) Moderators: 1. Faradiba, Ph.D. 2. Nurmaya Effendi, Ph.D. 3. Abd. Malik, Ph.D 4. Muammar Fawwaz, Ph.D 5. Ririn, M.Sc. 6. Aktsar Roskiana Ahmad, Ph.D. 7. A. Maulana P. Lolo, M.Chlin Pharm. 8. Rinqi Nur Amisah, M.Si
16.15 - 16.30	Announcement of best oral presentation of all scopes and also certificate reviewer, best presenter, presenter. Event closing and oral presentation presented by Dean of Faculty of Pharmacy UMI

INDEX

INDEX.....	1
ABSTRACTS.....	4
MICPSI-001-HS: ASSESSING MENTAL HEALTH ISSUES OF THE ROHINGYA FEMALE REFUGEES ATTENDING IMARET MOBILE CLINIC.....	4
MICPSI-002-HS: POSTPRANDIAL BIOASSAY AND RADICAL SCAVENGING ON A N-HEXANE FRACTION OF <i>Cordia myxa</i> L. LEAF.....	5
MICPSI-004-PCL: CRIMINAL RESPONSIBILITY OF THE PHARMACIST IN PHARMACEUTICAL SERVICE IN INDONESIA.....	6
MICPSI-006-PCH: ANTIOXIDANT ACTIVITY AND CAROTENOID CONTENT OF <i>Litopenaeus vannamei</i> SHELL EXTRACT.....	7
MICPSI-007-PP: ANTIOXIDANT ACTIVITIES OF ENDEMIC HERBS CEMBA (<i>Acacia rugata</i> (LAM.) FAWC. RENDLE) ORIGINATING FROM THE REGENCY OF ENREKANG.....	8
MICPSI-008-PCL: ADMINISTERING METFORMIN TO LOWER THE TOTAL CHOLESTEROL LEVEL OF THE PATIENTS AT THE CARDIAC POLYCLINIC OF UNDATA HOSPITAL OF PALU.....	9
MICPSI-009-HS: THE IMMUNOSUPPRESSIVE EFFECTS OF A SECANG WOOD (<i>Caesalpinia sappan</i> L.) EXTRACT ON <i>Drosophila melanogaster</i>	10
MICPSI-010-P: PHYSICAL STABILITY AND EFFECTIVENESS OF SNAKEHEAD FISH MUCUS AS WOUND DRESSING ON ANIMAL MODELS OF DIABETES MELLITUS.....	11
MICPSI-011-PCL: SAFETY ASSESSMENT OF THE EFFECTS OF STATIN DRUG INTERACTIONS ON THE CARDIOVASCULAR OUTPATIENTS.....	12
MICPSI-012-PCL: EVALUATING THE USE OF MAGNESIUM SULFATE (MGSO ₄) AS AN ANTI-SEIZURE THERAPY ON THE PATIENTS WITH SEVERE PREECLAMPSIA AT THE INPATIENT UNIT OF RSIA KHADIJAH 1 MAKASSAR FOR THE 2019-PERIOD.....	13
MICPSI-013-PCH: DETERMINING THE CONTENTS OF PHENOLICS AND FLAVONOIDS AND α -GLUCOSIDASE INHIBITOR ACTIVITIES IN AN ETHANOL EXTRACT OF THE TAMARIND LEAVES (<i>Tamarindus indica</i> L.).....	14
MICPSI-014-PCL: ACTIVITIES OF AN EXTRACT OF <i>Syzygium polyanthum</i> LEAVES AS A NEPHROPROTECTIVE AGENT IN GENTAMICIN-INDUCED RATS.....	15
MICPSI-015-PP: PRELIMINARY STUDY ON THE ANTIBACTERIAL ACTIVITIES OF A 96% ETHANOL EXTRACT OF <i>Padina australis</i> AGAINST <i>Escherichia coli</i> ATCC 25922.....	16
MICPSI-016-PP: ANTIOXIDANT EFFECTS OF A PURSLANE (<i>Portulaca oleraceae</i> L.) EXTRACT POTENTIALLY USED AS A STANDARDIZED HERBAL ANTI-OBESITY DRUG.....	17
MICPSI-017-PP: EXTRACTION AND PHYTOCHEMICAL SCREENING TESTS OF BLACK GARLIC.....	18
MICPSI-018-PCL: TERATOGENIC EFFECTS OF AN ETHANOL EXTRACT OF RAMBUTAN LEAVES (<i>Nephelium lappaceum</i> L.) ON THE WHITE MICE.....	19
MICPSI-019-PCL: EFFECTS OF AN EXTRACT OF AMETHYST SEEDS IN NANOCITOSAN GELS ON THE NUMBER OF FIBROBLASTS USED IN THE GINGIVAL WOUND HEALING.....	20
MICPSI-020-PM: THE ETHNOPHARMACY AT MONGONDOW TRIBE NORTH SULAWESI.....	21
MICPSI-021-PP: TOTAL PHENOLIC AND FLAVONOID COMPOUND OF CRUDE AND PURIFIED EXTRACT OF GREEN TEA LEAVES [<i>Camellia sinensis</i> (L.) KUNTZE].....	22
MICPSI-022-PP: ANTIOXIDANT AND ANTI-HYPERLIPIDEMIC PROPERTIES OF <i>Fucus vesiculosus</i> L. SERVING TO TREAT DIET-INDUCED, OBESITY OF SPRAGUE DAWLEY RATS.....	23
MICPSI-023-PP: FORMULATING AND EVALUATING A CREAM CONTAINING AN EXTRACT OF <i>Zingiber officinale</i> ROSCOE.....	24
MICPSI-024-P: ANTIOXIDANT AND ANTIMICROBIAL PROPERTIES OF METHANOLIC EXTRACTS OF <i>Annona muricata</i> L. LEAVES AND PULP.....	25
MICPSI-025-PP: STUDY ON THE ANTIOXIDANT POTENTIALS AND CHARACTERIZATIONS OF POLYSACCHARIDES OF <i>Pleurotus florida</i> IN A SUBMERGED CULTURE FERMENTATION.....	26
MICPSI-026-PP: EVALUATING THE ANTIOXIDANT AND ANTIMICROBIAL PROPERTIES OF EXO AND ENDO EXTRACTS OF <i>Pleurotus florida</i> (WHITE OYSTER MUSHROOM).....	27

MICPS1-027-PM: ANTIBACTERIAL ACTIVITIES OF AN ETHANOL EXTRACT OF THE BUGINESE GINSENG (<i>TALINUM PANICULATUM</i> (GAERTN.) LEAVES AGAINST <i>BACILLUS SUBTILIS</i> AND <i>SALMONELLA TYPHI</i> BACTERIA	28
MICPS1-028-P: FORMULATION AND ACTIVITY TEST OF EMULGEL MUCUS OF A SNAKEHEAD FISH (<i>CHANNA STRIATA</i>) USED TO HEAL DIABETES MELLITUS WOUND	29
MICPS1-029-PCL: STUDY ON THE USE OF ANTITHYROID DRUGS (PROPYLTHIOURACIL AND METHIMAZOLE) FOR THE HYPERTHYROID PATIENTS AT RSPAL DR. RAMELAN, SURABAYA: A RETROSPECTIVE STUDY	30
MICPS1-030-PCL: ANTIOXIDANT EFFECTS OF VIRGIN COCONUT OIL ON THE BODY: A SYSTEMATIC REVIEW	31
MICPS1-031-PCH: POTENTIALS OF A FRACTIONATED N-HEXANE, ACETONE AND ETHANOL EXTRACT OF PALMYRA FRUITS (<i>BORASSUS FLABELLIFER</i> L.) TO SERVE AS AN ANTIOXIDANT	32
MICPS1-032-PM: ANTIBACTERIAL ACTIVITIES OF THE ROOTS, BARKS AND LEAVES OF AN N-HEXANE EXTRACT OF <i>CYMBOPOGON NARDUS</i> (L.) RENDLE AGAINST <i>STAPHYLOCOCCUS AUREUS</i> AND <i>ESCHERICHIA COLI</i>	33
MICPS1-033-P: FORMULATING AND EVALUATING ANTI-DANDRUFF SHAMPOO MADE OF NATURAL, PHARMACEUTICALLY STABLE VIRGIN COCONUT OIL	34
MICPS1-034-PCH: MOLECULAR MODELLING STUDY OF AMINOALKYLNAPHTHOL DERIVATIVES AS POTENTIAL DEHYDROQUALENE SYNTHASE INHIBITOR	35
MICPS1-035-HS: THE FACTORS THAT INFLUENCE E-CIGARETTE USERS TO QUIT: A SYSTEMATIC REVIEW	36
MICPS1-036-P: A SYSTEMATIC LITERATURE REVIEW OF HEMICELLULOSE-BASED HYDROGELS FOR A DRUG DELIVERY SYSTEM	37
MICPS1-037-PP: TOTAL FLAVONOID CONTENTS AND UV-VIS FREE RADICAL CAPTURE ACTIVITY TEST USING 1,1-DIPHENYL-2-PICRYLHYDRAZYL OF A PURIFIED ETHANOL EXTRACT OF THE GODS CROWN FEE (<i>PHALERIA MACROCARPA</i> (SCHEFF.) BOERL.)	38
MICPS1-039-P: FORMULATING AND EVALUATING A CATECHIN-LOADED ETHOSOMAL CREAM FOR TOPICAL DELIVERY	39
MICPS1-040-PM: INVESTIGATING THE BACTERIAL AND FUNGAL BIOAEROSOL IN THE INDOOR AIR OF SEVERAL SELECTED TEACHING LABORATORIES AT UNIVERSITY OF CYBERJAYA	40
MICPS1-041-PCL: EFFECTS OF AN ETHANOL EXTRACT OF BERUWAS LAUT [<i>SCAEVOLA TACCADA</i> (GAERTN.) ROXB.] LEAVES ON GENTAMICIN-INDUCED NEPHROTOXICITY IN RATS	41
MICPS1-042-PP: A NEW 10,15-CYCLOPHYTANE DITERPENE FROM <i>SYZYGIUM</i> SP.	42
MICPS1-043-PP: <i>IN VITRO</i> ASSESSMENT OF ANTI-INFLAMMATORY AND CYTOTOXICITY ACTIVITIES OF <i>VITEX COFASSUS</i> REINW. EX BLUME AGAINST LPS-INDUCED J774.1 CELLS	43
MICPS1-044-PCL: EFFECTS OF AN EXTRACT OF JACKFRUIT (<i>ARTOCARPUS HETEROPHYLLUS</i> LAM.) LEAVES ON THE HISTOLOGICAL STRUCTURE OF THE LIVERS OF THE RATS INDUCED WITH ISONIAZID AND RIFAMPIN	44
MICPS1-045-P: OINTMENT FORMULATION FROM AN ETHANOL EXTRACT OF NUTMEG SEEDS (<i>MYRISTICA FRAGRANS</i> HOUTT.) AND INHIBITORY TESTS ON <i>STAPHYLOCOCCUS AUREUS</i> BACTERIA	45
MICPS1-046-PP: ETHNOPHARMACOLOGY STUDY ON VARIOUS MEDICINAL PLANTS USED BY THE BUGINESE IN COROWALL, THE REGENCY OF BARRU, THE PROVINCE OF SOUTH SULAWESI, INDONESIA	46
MICPS1-047-PM: EFFECT OF N-ACETYL CYSTEINE AND <i>AGARICUS BISPORUS</i> ON MALONDIALDEHYDE (MDA) IN A MICE MODEL OF MALARIA	47
MICPS1-048-PCH: VALIDATING THE ANALYSIS METHOD OF TANNIN CONTENT ON A ETHANOL EXTRACT OF GUAVA LEAVES (<i>PSIDIUM GUJAJAVA</i> L.) BY EMPLOYING A UV-VISIBLE SPECTROPHOTOMETRY	48
MICPS1-049-PCH: POTENTIALS OF VARIOUS EXTRACTS OF BUTTON MUSHROOM (<i>AGARICUS BISPORUS</i>) TO INHIBIT ALFA-GLUCOSIDASE ENZYMES	49
MICPS1-050-PP: TOXICITY ASSAY OF AN ETHANOL EXTRACT OF RAMBUTAN SEEDS (<i>NEPHELIUM LAPPACEUM</i> L.) BY EMPLOYING A BRINE SHRIMP LETHALITY TEST	50
MICPS1-052-PP: STUDY OF THE ANTIOXIDANT CAPACITY OF AN EXTRACT OF BAJAKAH (<i>SPATHOLOBUS LITTORALIS</i> HASSEK.) USING CUPRAC, DPPH, AND FRAP METHODS	51
MICPS1-053-PP: ISOLATION AND IDENTIFICATION OF AN ANTIOXIDANT COMPOUNDS OF AN ETHANOL EXTRACT OF <i>ETLINGERA ALBOLEUTA</i> A.D.POLSEN & MOOD RHIZOME	52
MICPS1-054-PCH: A MOLECULAR DOCKING STUDY OF DERIVATE COMPOUNDS OF N- (BENZOYLKARBAMOTIOIL)-N-PHENYLBENZAMIDE ON SUBSTITUTED CH ₃ C(CH ₃) ₂ OCH ₃ N(CH ₃) ₂ AND HALOGEN (Cl, Br, I) OF BENZOYLKARBAMOTIOIL RING AS AN ANTI-CANCER DRUG CANDIDATE	53
MICPS1-055-PCH: <i>IN VITRO</i> PHYTOCHEMICAL SCREENING AND ANTI-CHOLESTEROL EFFECTIVENESS TESTS ON AN ETHYL ACETATE EXTRACT OF AVOCADO SEEDS (<i>PERSEA AMERICANA</i> MILL.)	54



MICPS1-056-PCL: ANTIDIABETIC ACTIVITY OF A COMBINED EXTRACT OF TAMARIND LEAVES (<i>TAMARINDUS INDICA</i> L.) AND AJWA DATE SEEDS (<i>PHOENIX DACTYLIFERA</i> L.) ON DIABETIC MICE (<i>MUS MUSCULUS</i>).....	55
MICPS1-057-PP: PERCEPTIONS OF ATTITUDE AND BEHAVIOR OF THE COMMUNITY ON THE USE OF GINGER DURING THE COVID-19 PANDEMIC IN BUNTUSU VILLAGE, TAMALANREA, MAKASSAR	56
MICPS1-058-PP: FERTILITY AGENTS OF PARIJOTO FRUITS (<i>MEDINILLA SPECIOSA</i> BLUME) FROM KUDUS, CENTRAL JAVA, INDONESIA, BY EMPLOYING A BIOASSAY GUIDED FRACTIONATION	57
MICPS1-059-PCH: A STUDY OF N-ALL-N- (BENZOILKARBAMOTHOIL) SUBSTITUTED BENZAMIDE DERIVATIVES $\text{CH}_3\text{C}(\text{CH}_3)_2\text{OCH}_2\text{N}(\text{CH}_3)_2$ AND HALOGEN (CL, BR, I) ON BENZOILCARBAMOTHOIL RINGS AS ANALGESIC DRUG CANDIDATES	58
MICPS1-060-P: ACUTE TOXICITY TESTS OF A METHANOL EXTRACT OF BAJAKAH TRUNKS (<i>SPATHOLOBUS LITTORALIS</i> HASSK.) ON MALE MICE (<i>MUS MUSCULUS</i>)	59
MICPS1-061-PCL: SYSTEMATIC REVIEW: EFFECTIVENESS OF THE USE OF SOME VITAMINS ON THE PREGNANT WOMEN AS AN EFFORT TO PREVENT PRE-ECLAMPSIA	60
MICPS1-062-HS: ANALYZING THE ANTIOXIDANT AND ORGANOLEPTIC QUALITIES OF THE HERBS <i>MORINGA OLEIFERA</i> L. AND CINNAMON [<i>CINNAMOMUM BURMANNI</i> (NEES & T. NEES) BLUME]	61
MICPS1-063-PP: ANTIOXIDANT ACTIVITIES, TOTAL PHENOLIC CONTENTS OF AN EXTRACT OF ETHYL ACETATE AND AN N-HEXANE EXTRACT OF KEBEN [<i>BARRINGTONIA ASIATICA</i> (L.) KURZ] LEAVES	62
AUTHOR INDEX	63



**MICPS1-043-PP: IN VITRO ASSESSMENT OF ANTI-INFLAMMATORY AND CYTOTOXICITY
ACTIVITIES OF *VITEX COFASSUS* REINW. EX BLUME AGAINST LPS-INDUCED J774.1
CELLS**

Faradiba Abdul Rasyid

Laboratory of Pharmacognosy-Phytochemistry, Faculty of Pharmacy, Universitas Muslim Indonesia, Makassar 90231, Indonesia.

e-mail address: faradiba.faradiba@umi.ac.id; ORCID: 0000-0002-0978-8880.

Context: The main compounds found in the vitex species are terpenes, flavonoids, and lignans. Flavonoids have shown anti-inflammatory, anti-oxidative, anti-mutagenic, and anti-carcinogenic properties. Investigations on *Vitex cofassus* Reinw. ex Blume (VCS) are limited. They were only conducted to compare the larvicides and anticancer properties of VCS to that of other *Vitex* species.

Aim: To determine the anti-inflammatory and cytotoxicity activities of *V. cofassus* against LPS-induced J774.1 cells.

Method: Initially, the *V. cofassus* leaves were extracted by using methanol and water. Next, the extracts were evaluated for their anti-inflammatory properties by employing J774.1 cells function as a macrophage. Then, after being triggered by LPS from *Escherichia coli*, these macrophages could produce nitric oxide (NO). The NO inhibition was evaluated by employing a Griess reagent. The cytotoxicity activities were determined by employing an MTT assay on J774.1 cells previously applied to the NO inhibitory assay. This assay was established to obtain a correlation between the NO inhibitory activity and the cytotoxicity against J774.1 cells.

Results: The extracts effectively reduced the lipopolysaccharide (LPS)-induced NO levels when a 100 µg/mL concentration was employed. However, they showed low cytotoxicity, with viability cells in the cytotoxicity assay amounting to over 80%.

Conclusion: VCS leaves possessed some anti-inflammatory effects since they reduced NO in the LPS stimulated J774.1 cells.

Keywords: anti-inflammatory; cytotoxicity; J774.1; *Vitex cofassus*.

Invitro Assessment of Antiinflammatory and Cytotoxicity activities of *Vitex coffasus* against LPS-induced J774.1 Cells

Faradiba Abdul Rasyid

Laboratory of Pharmacognosy-Phytochemistry, Faculty of Pharmacy, Universitas Muslim Indonesia, Makassar 90231.

*e-mail address: faradiba.faradiba@umi.ac.id ORCID: 0000-0002-0978-8880 (Font: Book Antiqua 8)

Context: The main compounds found in the vitex species are terpenes, flavonoids, and lignans. Flavonoids have shown anti-inflammatory, anti-oxidative, anti-mutagenic, and anti-carcinogenic properties. Virex coffasus (VCS) research was limited, only for larvicides and anticancer compared to other vitex species.

Aim: This study aims to determine the anti-inflammatory and Cytotoxicity activities of *Vitex coffasus* against LPS-induced J774.1 cells.

Method: : Initially the *Vitex coffasus* leaves were extracted by using methanol and water. Next, the extracts were evaluated as Anti-inflammatory by using J774.1 cells functioning as a macrophage and after being triggered by LPS from *Escherichia coli*, these macrophages could produce Nitric oxide (NO). Inhibition of NO was evaluated using Griess reagent. Cytotoxicity activity was determined by using an MTT assay on J774.1 cells that have been previously applied to the Nitric oxide (NO) inhibitory assay. This assay was established to obtain the correlation between NO inhibitory activity and cytotoxicity against J774.1 cells

Results: The extracts effectively reduced lipopolysaccharide (LPS)-induced NO levels in concentration 100 µg/ml. But the extracts showed low cytotoxicity with viability cells over 80 % in the cytotoxicity assay.

Conclusion: From these results, we can conclude that the VCS leaves possess anti-inflammatory effects by reducing Nitric oxide in LPS stimulated in J774.1 cells

Keywords: anti-inflammatory, Cytotoxicity, J744.1, *Vitex coffasus*

Introduction

Bitti wood (*Vitex cofassus*) is an indigenous shrub of Sulawesi known as gofasa. Bitti wood (*V. cofassus*) is used as a building material and a deodorizing agent by the people of South Sulawesi. Several studies have revealed that *Vitex coffasus* possesses anticancer properties¹. Secondary metabolites of flavonoid and alkaloid types identified in bitti wood (*V. Coffasus*) can inhibit *Staphylococcus aureus* bacteria.

According to previous work, VCS has anticancer properties. Several studies indicate that cancer has a relationship or association with other disorders, specifically inflammation²⁻⁴, which is one of the body's natural defense systems against outside incursions such as microbes and can manifest as rash, fever, and sore³. Cancer development has been linked to persistent and permanent inflammation. Its emergence might be connected to tumor-related

inflammation⁴, 8-11. Furthermore, infection and inflammation were linked to nearly 25% of all tumor incidents⁴. Nuraini's (2014)⁵ research

Using the NO inhibitory assay on LPS-induced J.7441 cells as macrophages, it was found that these cells have characteristics that are similar to those of conventional macrophages in an invitro assay for evaluating inflammation. They have the ability to generate and release lysozyme, and when they kill cells, the antibody identifies the target. These cells came from a BALB/c animal that had an unintentionally developed tumor. When *Escherichia coli*'s LPS activates the J774.1 cells, which perform as macrophages, these macrophages can create NO. Griess reagent was used to assess NO inhibition^{25–26}.

Cytotoxicity cells are crucial for in vitro tests of substances like anti-inflammatory drugs. MTT assay is a colorimetric technique that can assess cytotoxicity. The non-radioisotope character of this test, which is reasonably safe, straightforward, and quick, is one of its benefits. It can be applied in a cell whose preparation is in a non-dissolved medium or single layer^{27–29}, it can be used on a large number of samples, and data from this assay can be simply calculated with a computer program. On J774.1 cells that have previously been used in the NO inhibitory experiment, the MTT assay is used to determine the vitality of the cells. This test was developed to see if NO inhibitory activity and cytotoxicity toward J774.1 cells were correlated.

Based on the description above, this research was conducted to determine the anti inflammatory and cytotoxicity in J774.1 cells of *Vitex cofassus* to increase scientific data from medicinal.

Methods

Preparation Of *Vitex off Asus* Leaves Powder

VCS (*Vitex cofassus*.) leaf samples were collected, washed with running water, and dried in a drying cabinet at a temperature of 40-50oC. The sample is then pulverized using a grinder, and it is ready to be extracted ⁸

Preparation Of Methanol Extract *Vitex coffasus* Leaves

The fresh leaves were chopped into tiny pieces and macerated with methanol (1:20, v/v) at room temperature (28 2 °C) for 72 hours with intermittent stirring. The extracted liquid was

filtered, and the marc was macerated using the same solvent until the extraction was exhausted. The filtrate resulting from maceration is mixed and then evaporated using a rotary evaporator⁹.

Anti-inflammatory efficacy against LPS-induced J774.1 cells

J774.1 murine macrophage cells were seeded in 100L per well in 96-well plates. They were then incubated for 24 hours in the CO₂ incubator. The following day, the sample was processed and separated into two sections, the first of which included LPS and the second of which did not. The plate was taken from the incubator, and the old medium was replaced with a sample that had previously been produced. The plant extract or isolated component was incubated for a further twenty-four hours.

On the third day, a griess reagent was produced by combining sulphanilamide and N-1-naphthylethylenediamine dihydrochloride. Later, it was dissolved in water containing phosphoric acid, and then additional water was added. New 96 plates were filled with about 100 l of Griess reagent.

The cell plates were removed from the incubator, placed in a cooler, and 100 l was transferred to the Griess reagent plate. The absorbents from the sample in the Griess reagent plate were created using a microplate reader and then the percentage of NO inhibition was calculated.

Cytotoxic action against J774.1 cell population

After assessing the microplate reader (NO inhibition test), the MTT assay was performed on the same plate. 10 l of MTT solution (5mg/ml) was added to the plate, which was then placed in the CO₂ incubator for 2 to 4 hours. After removing the medium, 200 l of PBS was added. One minute later, the PBS was withdrawn. About 200 l of DMSO was added to the plate in order to dissolve the formazan crystal that resulted from the mitochondrial enzyme dehydrogenase's reduction of MTT. The result was transferred to a fresh plate, and the absorbance was measured at 570 nm using a microplate reader. Finally, the result was computed to determine the cell viability in each sample.

Result

200 g of VCS (*Vitex coffasus*) leaf extract was macerated in 2.75 L of methanol to achieve a yield value of 10.063%. The outcomes of extracting samples of VCS leaves (*Vitex coffasus*) are shown in the table below.

Table 1. Yield value of VCS (*Vitex coffasus*) leaves extract

Sample	Sample weight (g)	Extract result (g)	Yield value (%)
VCS Leaves	200	12,92	6,46

The result of anti-inflammatory of VCS leaves (*Vitex coffasus*) can be seen in the following table 2 :

Concentration (µg/ml)	Inhibition of Percentage (%)		
10	44,80	97.73	89,09
30	64,25	109,25	100,61
100	84,40	118,65	95,76

The result of Cytotoxicity against J.744.1 cells of VCS leaves (*Vitex coffasus*) can be seen in the following table 2 :

Concentration (µg/ml)	Cell Viability (%)	
10	88,63	120,89
30	89,66	131,29
100	86,94	114,91

Discussion

According to studies conducted by Faradiba, one of the compounds identified in the vitex coffasus has anticancer properties. The development of cancer was attributable to chronic and persistent inflammation. Its development may be connected with inflammation linked to tumors²⁻⁴. In addition, roughly 25% of all cases of cancer were associated with infection and inflammation. 4. In this study, the preliminary anti-inflammatory VCS screening test was carried out. In this study, the NO inhibitory test on LPS-induced J774.1 cells as macrophage revealed that these cells had the same characteristics as conventional macrophage. They can generate and release lysozyme, and when they kill cells, antibody identifies the target.

These cells were extracted from an unintentional tumor-stricken BALB/c animal. After being activated by LPS from *Escherichia coli*, the J774.1 cells, which serve as macrophages, may create NO. Using griess reagent, NO inhibition was determined. 10-11

Griess reagents were developed in 1879, and these techniques were extensively used to evaluate nitric oxide in biological samples such as urine, blood, and cultured cells. The procedure for griess reagents is as described below: In the beginning, it will generate short-term diazonium salt, which is formed by a reaction between nitrite and sulfanilamide to which acid has previously been added, often phosphoric acid. After adding N-naphthyl-ethylenediamine, this short-term salt transforms into non-labile azo agents with a vibrant purple hue. A microplate reader is then used to measure the absorbant or optical density of a high purple color to determine the NO content. The absorbent calculation results are shown in Table 2 and Figure 1. More than 80% of NO inhibitory action was inhibited by the VCS t at 100 µg/ml concentration. The VCS may be a strong source for further anti-inflammatory development.

The anti-inflammatory properties of the plants are due to their flavonoid content. Cytotoxicity of these plants was investigated to find out the correlation between antiinflammatory and cytotoxicity against J774.1 cells. The result of cell viability was above 80 % - 120 % which means that there was no link between anti-inflammatory activity and cytotoxicity in this research.

Conclusion

From these results, we can conclude that the VCS leaves possess the anti inflammatory activity. no correlation between cytotoxicity and antiinflammatory activity in J.744.1 cells

Ethical approval

-

Conflicting Interest

All authors declare no conflict of interest.

References

1. Faradiba, A.R. *et.al.* 2017. *A Novel Clerodane Diterpene from Vitex coffasus*. Kanazawa University. Japan
2. Eiró, N., & Vizoso, F.J., Inflammation and cancer. *World Journal of Gastrointestinal surgery* **27**, 62-72 (2012)
3. Calixto, J.B., Otuki, M.F., Santos, A.R.S., Anti-inflammatory compounds of plants origin. part I. Action on Arachidonic acid pathway, nitric oxide and nuclear factor κ B (NF- κ B). *Planta medica* **69**, 973-983 (2003).
4. Fan, T., -P., Yeh, J, -C., leung, K.W., & Yue, P. Y. K. Angiogenesis: from plants to blood vessels. *TRENDS in Pharmacological Sciences* **27**, 287-309 (2006)
5. Skripsi , Nuraini 2014, (Identifikasi dan Karakterisasi Senyawa Bioaktif Anti Kanker dari Ekstrak Etanol Kulit Batang Kayu Bitti (Vitex cofassus), <http://repositori.uin-alauddin.ac.id/6326/1/Nuraini.pdf>
6. Miller, A, L 1996, 'Antioxidant Flavonoids, Structure, Function and Clinical Usage,' Alt, Med, Rev 1(2)
7. Heinrich, M, Bames, J, Gibbons, S, Williamson, E, M 2010, ' 'Farmakognosi dan Fitoterapi', Penerbit Buku Kedokteran, Jakarta
8. Ahmad, A,R, Juwita, Ratulangi, A, D dan Malik, A 2015, Penetapan Kadar Fenolik dan Flvonoid Total Ekstrak Metanol Buah dan Daun Patikala (*Etlingera elatior* (Jack) R.M.SM), *Pharmaceutical Science and Reseach*, Vol. 2 No. 1

9. Martinus, B, V, Verawati 2015, ' Penentuan Kadar Flavonoid Total dan Aktivitas Antioksidan dri ekstrak Daun Bandotan (*Ageratium conyzoides* L.), Sekolah Tinggi Farmasi Indonesia Perintis Padang, Scientia Vol. 5, No.
10. Okada, M., *et al.* LPS-or 8Br-cyclic AMP-induced production of T cell-activating factor (s) in macrophage tumor cell line J774. 1. *The journal of Immunology* **120**, 1097-1101 (1978)
11. Sun, J., Zhang, X., Broderick, M., Fein, H., Measurement of Nitric oxide production in biological system by using griess reaction assay, *Sensors* **3**, 276-284 (2003)
12. Ginwala, et.all., (2019) *Potential Role of Flavonoids in Treating Chronic Inflammatory Diseases with a Special Focus on the Anti-Inflammatory Activity of Apigenin, [*Antioxidants \(Basel\)*](#). 2019 Feb; 8(2): 35.
13. Ipandi I, Triyasmono L, Prayitno B 2016, Penentuan Kadar Flavonoid Total dan Aktivitas Antioksidan Ekstrak Etanol Daun Kajajahi (*Leucosyke capitellata* Wedd.), *Jurnal Pharmascience*, Vol 3 No. 1, Hal 93-100
14. Malik, A., Ahmad, A. R., 2015. *Determination of Phenolic an Flavonoi Contents of Ethanolic Extract of Kanunang Leaves (Cordia myxa* International Journal of PharmTech Research, 7(2). pp. 243-246

