

KORESPONDENSI ARTIKEL

- Penulis : Brajakson Siokal, Wahyuingsih, Ahmad Yani
- Korespondensi : Brajakson Siokal (brajakson.siokal@umi.ac.id)
- Judul Artikel : **The Impact of Nursing Care Management Implementation on the Improvement of a Centralized Nursing Information System**
- Nama Jurnal : **Poltekita: Jurnal Ilmu Kesehatan**
- Vol : Volume 18 No 3, 2024, page 306-312
 - No. : No. 3., 2024
 - Halaman : 306 - 312
 - E-ISSN : 2527-7170 dan p-ISSN: 1907-459X
 - Penerbit : Poltekkes Kemenkes Palu.
 - DOI : 10.33860/jik.v18i3.3926
 - Alamat Web Jurnal: <https://ojs.polkespalupress.id/index.php/JIK>
 - Alamat link Artikel: <https://ojs.polkespalupress.id/index.php/JIK/article/view/3926>
 - Repository:
 - Similarity :

Adapun alur korespondensi di mulai pada :

No	Waktu	Keterangan
1	9 Agustus 2024	Submit Artikel di Jurnal
2	8 September 2024	Permohonan Upload Author dan Bukti Etik
3	12 Oktober 2024	Penulis Mengupload author statment dan bukti etik penelitian
4	24 Oktober 2024	Mengecek status paper pada OJS (Status Menunggu Proses Review)
5	2 November 2024	Pemberitahuan hasil review paper dari editor dan reviewer
6	5 November 2024	Upload revisi paper di OJS
7	8 November 2024	Pemberitahuan hasil review paper dari editor dan reviewer
8	12 November 2024	Upload revisi paper di OJS
9	14 November 2024	Penyampaian hasil keputusan editor
10	16 November 2024	Cek status paper di OJS (copy editing)

11	23 November 2024	Pemberitahuan proses proofreading paper oleh pengelola jurnal
12	25 November 2024	Pemberitahuan Proses Editing paper oleh pengelola jurnal
13	27 November 2024	Pemberitahuan Proses Layout paper oleh pengelola jurnal
14	28 November 2024	Pemberitahuan proses telah complete
15	30 November 2024	Pemberitahuan artikel telah publish

Korespondensi Artikel


The Impact of Nursing Care Management Implementation on the Improvement of a Centralized Nursing Information System

No	Waktu	Kegiatan Korespondensi
1.	9 Agustus 2024	Submit Artikel di Jurnal

Pada tanggal 9 Agustus, saya telah melakukan submit artikel ilmiah melalui laman resmi *Poltekita: Jurnal Ilmu Kesehatan*, yang dapat diakses pada tautan berikut: <https://jurnal.poltekkespalu.ac.id/index.php/JIK>.

Artikel yang saya kirimkan berjudul "*The Impact of Nursing Care Management Implementation on the Improvement of a Centralized Nursing Information System*". Proses submit dilakukan melalui sistem manajemen jurnal daring yang tersedia pada website tersebut, dan telah diterima secara sistem oleh pihak redaksi jurnal.

Sebagai bukti korespondensi, pada hari yang sama (9 Agustus), saya menerima email konfirmasi dari Editor Jurnal, Bapak Kadar Ramadhan, yang menyatakan bahwa naskah telah masuk ke sistem dan dapat dipantau perkembangannya melalui tautan dashboard penulis.



Terdapat Bukti submit Paper Tanggal 9 Agustus 2024. Pada tanggal 9 Agustus, saya menerima korespondensi melalui email terkait artikel jurnal yang telah saya kirimkan ke *Poltekita: Jurnal Ilmu Kesehatan*. Dalam pesan yang dikirimkan oleh Editor jurnal, Bapak Kadar Ramadhan, beliau menyampaikan ucapan terima kasih atas pengiriman naskah berjudul "*The*

Impact of Nursing Care Management Implementation on the Improvement of a Centralized Nursing Information System".


Pesan dari editor tersebut juga menyertakan informasi mengenai sistem manajemen jurnal daring yang digunakan, serta petunjuk untuk memantau perkembangan proses editorial melalui tautan berikut:

Submission URL:

<https://ojs.polkespalupress.id/index.php/JIK/authorDashboard/submission/3926>

Username: brajakson

Editor juga menutup pesannya dengan penawaran untuk dihubungi apabila terdapat pertanyaan lebih lanjut dan mengucapkan terima kasih atas pertimbangan saya dalam memilih jurnal ini sebagai wadah publikasi karya ilmiah.



Berikut adalah draft artikel yang disubmit di awal.

DRAFT ARTIKEL YANG DI SUBMIT DALAM WEBSITE **Poltekita: Jurnal Ilmu Kesehatan**

Poltekita: Jurnal Ilmu Kesehatan

The Impact of Nursing Care Management Implementation on the Improvement of a Centralized Nursing Information System

Brajakson Siokal^{1*}, Wahyuningsih², Ahmad Yani³

¹Universitas Muslim Indonesia, South Sulawesi, Indonesia

²Universitas Patria Artha, South Sulawesi, Indonesia

³Faculty of Pubic Health, Universitas Muhammadiyah Palu, Central Sulawesi, Indonesia
(Correspondence author email: brajakson.siokal@umi.ac.id)

ABSTRACT

The implementation of nursing care management can improve centralized nursing information system through better documentation, more effective workflow, and increasing nurse knowledge about system usage. The purpose of this research is to know the effect of applying nursing care management on centralized nursing information system improvement at IS Makassar Hospital in 2023. This research used quasi experiment with pretest and posttest design and control group, the sample is 110 nurses from four inpatient rooms by total sampling method. The analysis used Wilcoxon test and independent t-test. The result showed there is significant influence of the implementation of nursing care management. The p-value for intervention group was 0.002 and between group difference was 0.0002. This means that nursing care management helps nurse to improve documentation quality and system knowledge. It is suggested to do training for nurses and evaluate the long-term effect of this program.

Keywords : nursing care; intervention; nursing documentation; outcome

INTRODUCTION

The development of knowledge and technology, especially in the field of information systems, has influenced how society interacts with services, including health services. People are becoming more critical of the quality of services they receive. Nurses, as health professionals, are expected to provide standard and proper nursing care management, including good documentation and complete reporting.¹ Proper nursing care management is not only useful to give better services but also as evidence in case there are problems between patients and nurses. That's why nursing care management has an important role in improving the quality of health services.² Proper nursing care management is not only crucial for delivering optimal care but also serves as valid evidence in resolving issues that may arise between patients and nurses. Therefore, nursing care management plays a vital role in improving the overall quality of healthcare services.³

However, some studies show that in the implementation of nursing care management, there are still incomplete documentations, especially in the parts of diagnosis and nursing intervention. The completeness of nursing diagnosis is only 79%, and interventions are only documented at 74%. This

shows that the quality of nursing care is still low. From audits, problems like unorganized records and incomplete reports are found.⁴ A study in 40 patient medical records found that many nurses did not arrange diagnosis and intervention following the guidelines. Also, more than half of nurses just copied diagnosis and interventions from old records, which affects the quality and truth of the data. These problems reduce the communication quality between nurses and other healthcare workers, and that may give negative results in patient care.⁵ Furthermore, over half of the nurses simply copied diagnoses and interventions from previous records, which tends to compromise the accuracy and quality of the nursing care data. This poor quality of nursing care management has a negative impact on communication between nurses and other healthcare professionals, which can risk patient care outcomes.⁶

Several factors contribute to the low quality of nursing care management, one of which is the lack of clear guidelines for implementing nursing care management according to the established standards.⁷ In addition, issues such as the low nurse-to-patient ratio, limited training opportunities for nurses, and ineffective leadership also play a role in this problem. Therefore, there is a need for efforts to improve nursing care management to enhance the quality of healthcare services.⁸

Effective nursing care management can significantly contribute to the improvement of centralized healthcare information systems in hospitals.⁹ By implementing more systematic nursing care management, the resulting data will be more complete and accurate.¹⁰ This will strengthen the centralized healthcare information system, ultimately improving the efficiency, accuracy, and safety of healthcare services.¹¹ A centralized system relies on accurate and timely data, which can only be achieved through well-organized nursing care management.^{12 13}

Based on these factors, this research aims to investigate the impact of nursing care management on the improvement of centralized healthcare information systems at RS IS Makassar. The study is expected to provide insights into how the implementation of good nursing care management can improve the quality of healthcare information systems, which in turn will contribute to the enhancement of healthcare service quality at the hospital.

METHODS

The research used a quasi-experiment with pretest and posttest with a control group. The study was carried out in four inpatient rooms at IS Makassar Hospital. AS and FR wards were used as the intervention group, while AR and MN wards were used as the control group. IS Makassar Hospital was chosen because it is a referral hospital in Eastern Indonesia and has a centralized nursing information system. The hospital also has complete facilities and nurses with different backgrounds and experiences. All nurses in these wards became the subjects of this study. The sampling technique used was total sampling with a total of 110 nurses, 55 in the intervention group and 55 in the control group.

The characteristics of the subjects varied in terms of work experience and education. Some had 1 year of experience, others up to 10 years. Educational background ranged from D3 to S1 Nursing, and some had taken training in nursing care management. The instrument used was a questionnaire that measured knowledge about nursing care management and documentation, which had been validated before.

Data were analyzed using the Wilcoxon test and paired t-test. Tests for normality and homogeneity were done first. This study received ethical clearance from the ethics committee (No. RK.156/KEPK/STIK/II/2024). All participants were informed about the research, and consent forms were signed. All data were kept confidential and only used for this research. This study took place from September 24, 2022, to January 24, 2023. The intervention group was in AS ward, and the control group was in AR ward of IS Makassar Hospital.

RESULT

Table 1. Description of Characteristic Respondent

Variables	Intervention	Control	Total
-----------	--------------	---------	-------

	(n=55)	%	(n=55)	%	n	%
Gender						
Male	26	47.3	22	40.0	48	43.6
Female	29	52.7	33	60.0	62	56.4
Age (years)						
≤ 30	17	30.9	16	29.1	33	30.0
31–40	18	32.7	25	45.5	43	39.1
> 40	20	36.4	14	25.5	34	30.9
Education Level						
Diploma	16	29.1	15	27.3	31	28.2
Bachelor's Degree	30	54.5	36	65.5	66	60.0
Master's Degree	9	16.4	4	7.3	13	11.8
Work Experience (years)						
≤ 5 years	14	25.5	13	23.6	27	24.5
6–10 years	26	47.3	28	50.9	54	49.1
> 10 years	15	27.3	14	25.5	29	26.4

Based on Table 1, most respondents were female (56.4%) compared to males (43.6%), with a balanced distribution between the intervention and control groups. Most respondents were aged 31–40 years (39.1%), followed by those aged >40 years (30.9%) and ≤30 years (30.0%).

Table 2. Description of nurses' knowledge in compiling in nursing care management implementation

Descriptive Data	N	Min	Max	Mean	Median	Std. Deviation
Intervention group (Pre-Test)	55	18	24	21.41	22.20	1.652
Control group (Pre-Test)	55	18	26	21.86	21.20	2.541

Based on table 2, the pre-test results for both groups, namely the intervention group and the control group, show relatively balanced average knowledge scores, at 21.41 and 21.86, respectively. This indicates that, prior to the nursing care management intervention, the baseline knowledge level between the two groups was almost identical.

Table 3. Description of nurses' knowledge in preparing nursing care management implementation

Descriptive Data	N	Min	Max	Mean	Median	Std. Deviation
Intervention group (Post Test)	55	22	32	25.62	25.10	2.522
Control group (Post Test)	55	20	26	21.50	21.13	2.811

Based on Table 3, the post-test results show that the 20 respondents' intervention group achieved an average knowledge score of 25.62 with a median of 25.10, a minimum score of 22, and a maximum score of 32.

The interpretation of these values shows that, after the nursing care management intervention, there was a significant increase in knowledge in the intervention group compared to the control group, which did not receive the intervention.

Table 4. The impact of nursing care management implementation on the improvement of a centralized nursing information system

Data	N	Mean	Mean difference	p value
Intervention group (Pre-Test)	55	21.41		

Control group (<i>Post Test</i>)	55	25.62	4.21	0.002
---------------------------------------	----	-------	------	-------

Based on Table 4 above, the mean value in the intervention group (post-test) showed an increase compared to the group (pre-test) with a difference of 4.21, resulting in a p-value of 0.002. Therefore, the decision is that the p-value < p-alpha (0.05), so it can be concluded that Ho is rejected and Ha is accepted. This means that there is an influence of nursing care management on the improvement of the centralized information system at IS Makassar Hospital in 2023.

DISCUSSION

Good knowledge in nursing care management is very important for nursing services and systems. Nursing knowledge can help with documentation and patient care. If the data is well documented and organized, it will help nurses and patients.¹⁰ Nurses will know more about the patients and what to do. Also, this will help doctors and other staff because everything is clear. Nursing knowledge is not just about facts but also using it. So, knowledge comes from seeing, understanding, and sharing it.¹¹ Knowledge is the result of a process consisting of four stages: observation, interpretation, evaluation, and communication. Knowledge not only includes information but also the understanding and use of that information in relevant contexts.¹⁸

When nurses write better documentation, it helps avoid errors and improves safety. If the data is not clear, mistakes can happen. Better nursing care means better quality care and better safety for patients. It also makes teamwork better because everyone can understand the patient's condition. When nurses are more experienced, they know more and understand things faster. Nurses who have been working longer usually make better decisions. This study shows the same thing because the knowledge score was different in the two groups.¹⁹ Moreover, better nursing care management can also reduce confusion among the medical team in decision-making and minimize potential errors in the care process, which in turn will enhance the quality and safety of care.¹⁵

In this study, most nurses didn't have high knowledge scores. The level was still low. Knowledge can change over time.¹⁶ It is not fixed, so nurses should keep learning. Many things affect knowledge, like education, experience, and age. In this hospital, nurses with longer work experience had better knowledge.²⁰ In this study, the internal factors that affect knowledge include age, education, and experience or length of employment.²¹

This is in line with the findings of the research at IS Makassar Hospital, which showed a difference in knowledge scores between the intervention and control groups, with a p-value of 0.002. Knowledge improvement is influenced by many factors, one of which is experience or length of employment. The more experience a nurse has, the more their ability to capture information and think critically develops.²²

This research is new because it looks at how nursing management helps improve the centralized information system. It also finds problems that hospitals have, like lack of tools or staff who don't want to change. One solution is to do more training and get help from hospital leaders. If other hospitals want to use this system, they need to prepare better.

This study has limitations. It only happened in one hospital and didn't include many nurses, so maybe the results can't be used everywhere. Also, each hospital is different, and the results might not apply to all places. To fix this, future studies should use more hospitals. For the system to work in other hospitals, more training, tools, and management support are needed. This can help make services better in other hospitals too.

In addition, challenges in implementing nursing care management in other hospitals need to be addressed. Possible barriers, such as differences in hospital infrastructure, resource limitations, or resistance from medical staff to procedural changes, should be taken into account.²³ Proposed solutions include continuous training for healthcare staff, increased support from hospital management, and integrating nursing care management into existing hospital information systems. This would make the discussion more relevant to healthcare administrators and policymakers who need to consider these factors when expanding the implementation of nursing care management in other healthcare facilities.²⁴

CONCLUSION

The implementation of nursing care management has improved the centralized nursing information system, making patient information management more efficient. This has enhanced communication among healthcare providers and reduced errors, leading to better care and patient outcomes.

To sustain these improvements, ongoing training for nursing staff is necessary, along with system updates and customization to meet healthcare needs. Collaboration between nursing and IT teams is also important.

ACKNOWLEDGEMENTS

This research was financially supported by Universitas Muslim Indonesia through its research department. We explicitly state that the funding department had no involvement in the design, execution, analysis, interpretation, or preparation of the manuscript. This disclosure reinforces the independence and credibility of the research, ensuring transparency regarding the financial support received for this study.

REFERENCES

1. Hong WHS, Lundeen SP. Using ACHIS to analyze nursing health promotion interventions for vulnerable populations in a community nursing center: A pilot study. *Asian Nurs Res (Korean Soc Nurs Sci)* [Internet]. 2019;3(3):130–8. Tersedia pada: [http://dx.doi.org/10.1016/S1976-1317\(09\)60024-4](http://dx.doi.org/10.1016/S1976-1317(09)60024-4)
2. Ryu JI, Kim K. The influence of nursing care integration services on nurses' work satisfaction and quality of nursing care. *J Nurs Manag*. 2019;26(8):1024–32.
3. Siokal B. Effectiveness of Computer-Based Nursing Documentation in Nursing Care Hospital – A Literature Review. 2021;2(2):6. Tersedia pada: <https://pasca-umi.ac.id/index.php/jmch/article/view/502>
4. Strauss B. The Patient Perception of the Nurse-Patient Relationship When Nurses Utilize an Electronic Health Record Within a Hospital Setting. *CIN - Comput Informatics Nurs*. 2019;31(12):596–604.
5. Taylor DN. A Literature Review of Electronic Health Records in Chiropractic Practice : Common Challenges and Solutions. *J Chiropr Humanit* [Internet]. 2019;24(1):31–40. Tersedia pada: <https://doi.org/10.1016/j.echu.2016.12.001>
6. Tubaishat A. Perceived usefulness and perceived ease of use of electronic health records among nurses: Application of Technology Acceptance Model. *Informatics Heal Soc Care*. 2019;43(4):379–89.
7. Wang N, Yu P, Hailey D. Description and comparison of quality of electronic versus paper-based resident admission forms in Australian aged care facilities. *Int J Med Inform* [Internet]. 2019;82(5):313–24. Tersedia pada: <http://dx.doi.org/10.1016/j.ijmedinf.2012.11.011>
8. Zadvinskis IM, Chipps E, Yen P yin. Exploring nurses ' confirmed expectations regarding health IT : A phenomenological study. *Int J Med Inform* [Internet]. 2019;83(2):89–98. Tersedia pada: <http://dx.doi.org/10.1016/j.ijmedinf.2013.11.001>
9. Vabo G, Science N, Science N, Fossum M, Science N, Science N, et al. Participants' perceptions of an intervention implemented in an Action Research Nursing Documentation Project. *Nurs Clin NA*. 2019;(4604).
10. Siokal B, Amiruddin R, Abdullah T, Thamrin Y, Syam Y, Palutturi S, et al. Improving the Quality of Assessment and Diagnosis in Nursing Care: A Literature Review. *Pharmacogn J*. 2023;15(4):703–6.
11. Siokal B, Wahyuningsih. Potensi Profesional Kesehatan Dalam Menjalankan Interprofessional Collaboration Practice Di Rumah Sakit Universitas Hasanuddin. *Bina Gener J Kesehat*. 2019;11(1):13–20.

12. Siokal B, Amiruddin R, Abdullah T, Thamrin Y, Palutturi S, Ibrahim E, et al. The Influence of Effective Nurse Communication Application on Patient Satisfaction: A Literature Review. *Pharmacogn J.* 2023;15(3):479–83.
17. Moldskred PS, Snibsoer AK, Espehaug B. Improving the quality of nursing documentation at a residential care home: a clinical audit. *BMC Nurs.* 2021;20(1):1–7.
18. Marci Holub. Decreasing the Nursing Documentation Burden During the Covid-19 Surge. *Nurseleader.* 2020;(January).
19. Lindsay MR, Lytle K. Implementing Best Practices to Redesign Workflow and Optimize Nursing Documentation in the Electronic Health Record. *Appl Clin Inform.* 2022;13(3):711–9.
20. Wahyuningsih W, Bukhari A, Juliaty A, Erika KA, Pamungkas RA, Siokal B, et al. Stunting Prevention and Control Program to Reduce the Prevalence of Stunting: Systematic Review Study. *Open Access Maced J Med Sci.* 2022;10(F):190–200.
21. Kodama K, Konishi S, Manabe S, Okada K, Yamaguchi J, Wada S, et al. Impact of an Electronic Medical Record–Connected Questionnaire on Efficient Nursing Documentation: Usability and Efficacy Study. *JMIR Nurs.* 2023;6(1):1–14.
22. Kleib M, Jackman D, Wisnesky UD, Ali S. Academic Electronic Health Records in Undergraduate Nursing Education: Mixed Methods Pilot Study. *JMIR Nurs.* 2021;4(2):1–14.
23. Gesner E, Dykes PC, Zhang L, Gazarian P. Documentation Burden in Nursing and Its Role in Clinician Burnout Syndrome. *Appl Clin Inform.* 2022;13(5):983–90.
24. Kernebeck S, Busse TS, Jux C, Dreier LA, Meyer D, Zenz D, et al. Evaluation of an Electronic Medical Record Module for Nursing Documentation in Paediatric Palliative Care: Involvement of Nurses with a Think-Aloud Approach. *Int J Environ Res Public Health.* 2022;19(6)

The Impact of Nursing Care Management Implementation on the Improvement of a Centralized Nursing Information System

by Cek Turnitin

Submission date: 28-Nov-2024 01:04PM (UTC+0700)

Submission ID: 2534528478

File name: 5_6215027374795263610.docx (93.81K)

Word count: 3409

Character count: 20301

Original Article

The Impact of Nursing Care Management Implementation on the Improvement of a Centralized Nursing Information System

Brajakson Siokal^{1*}, Wahyuningsih², Ahmad Yani³

¹Universitas Muslim Indonesia, brajakson.siokal@umi.ac.id

²Universitas Patria Artha, wahyuingsihab@gmail.com

³Universitas Muhammadiyah Palu, ahmad.yani@unismuhpalu.ac.id

(Correspondence author email: brajakson.siokal@umi.ac.id)

ABSTRACT

Nursing care management improves the centralized nursing information system by ensuring accurate documentation, efficient workflows, and better technology training, as well as supporting clinical decision-making with quality data. This study aims to assess the impact of nursing care management implementation on the improvement of the centralized nursing information system at IS Makassar Hospital in 2023. A quasi-experimental design with pretest and posttest was used, involving a control group, with a sample size of 110 nurses from 4 inpatient wards participating in the study through total sampling. Data were analyzed using the Wilcoxon test and independent paired t-test. The results showed a significant impact of nursing care management implementation on the centralized nursing information system. The intervention group had a p-value of 0.002, and the difference between the intervention and control groups showed a p-value of 0.0002. These findings indicate that structured nursing care management improves nurses' documentation skill and knowledge. It is recommended to explore the optimization of continuous training for nurses, the use of the centralized nursing information system, and to conduct a long-term evaluation of the impact of nursing care management implementation on the quality of documentation.

Keywords : nursing care; intervention; nursing documentation; outcome

<https://doi.org/10.33860/jik.v15i1.430>



© 2021 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY SA) license (<https://creativecommons.org/licenses/by-sa/4.0/>).

INTRODUCTION

The advancement of knowledge and information technology has significantly impacted how society interacts with various services, including healthcare services.¹ This has led to a more critical approach to the quality of services provided. As healthcare professionals, nurses are expected to perform good and standardized nursing care management, which includes accurate and complete documentation and reporting.² Proper nursing care management is not only crucial for delivering optimal care but also serves as valid evidence in resolving issues that may arise between patients and nurses. Therefore, nursing management plays a vital role in improving the overall quality of healthcare services.³

However, research findings on the implementation of nursing care management indicate that there is often incompleteness, particularly regarding diagnosis and nursing interventions. Studies have shown that the completeness of nursing diagnoses is only 79%, while nursing interventions are documented at 23% to 74%.⁴ This reflects the low quality of nursing care management. Audits of nursing care management have also highlighted issues with disorganized and inadequate record-keeping and reporting systems. A study of 40 medical records revealed that many nurses did not arrange diagnoses and interventions according to established guidelines.⁵ Furthermore, over half of the nurses simply copied diagnoses and interventions from previous records, which tends to compromise the accuracy and quality of the nursing care data. This poor quality of nursing care management has a negative impact on communication between nurses and other healthcare professionals, which can risk patient care outcomes.⁶

Several factors contribute to the low quality of nursing care management, one of which is the lack of clear guidelines for implementing nursing care management according to the established standards.⁷ In addition, issues such as the low nurse-to-patient ratio, limited training opportunities for nurses,

and ineffective leadership also play a role in this problem. Therefore, there is a need for efforts to improve nursing care management to enhance the quality of healthcare services.⁸

Effective nursing care management can significantly contribute to the improvement of centralized healthcare information systems in hospitals.⁹ By implementing more systematic nursing care management, the resulting data will be more complete and accurate.¹⁰ This will strengthen the centralized healthcare information system, ultimately improving the efficiency, accuracy, and safety of healthcare services.¹¹ A centralized system relies on accurate and timely data, which can only be achieved through well-organized nursing care management.¹² Thus, implementing effective nursing care management not only impacts the quality of care provided but also contributes to the enhancement of the centralized information system that supports better clinical decision-making.^{13, 14}

Based on these factors, this research aims to investigate the impact of nursing care management on the improvement of centralized healthcare information systems at RS IS Makassar. The study is expected to provide insights into how the implementation of good nursing care management can improve the quality of healthcare information systems, which in turn will contribute to the enhancement of healthcare service quality at the hospital.

METHOD

The research method used is a quasi-experimental design with pre-test and post-test and a control group design. This study was conducted in four inpatient wards at IS Makassar Hospital, namely AS and FR wards for the intervention group, and AR and MN wards for the control group. IS Makassar Hospital was selected because it has complete facilities and is a referral hospital in Eastern Indonesia, which has implemented a centralized nursing information system. The hospital also has many nurses with diverse backgrounds and experiences, providing insight into the

implementation of nursing care management in a hospital setting that is constantly updated by all its nurses. All nurses in the four wards at IS Makassar Hospital were selected as research subjects. The sampling technique used was total sampling, involving 110 nurses, who were divided into two groups: 55 nurses in the intervention group and 55 nurses in the control group. The characteristics of the research subjects included varying levels of experience and qualifications, with work experience ranging from 1 to 10 years, and educational qualifications including nurses with a D3, Bachelor's degree in Nursing, and several of them having attended specialized training related to nursing care management. The instrument used was a questionnaire measuring knowledge about nursing care management and documentation quality, which had been validated by experts. Data were analyzed using the Wilcoxon test and independent paired t-test, with normality and homogeneity tests conducted beforehand.

This study has received ethical approval from the health research ethics committee (No. RK.156/KEPK/STIK/II/2024), and all participants were informed about the purpose, procedure, and their rights and provided written consent to participate. The data obtained were kept confidential and were used solely for research purposes. The instrument used was a knowledge questionnaire containing material related to nursing care management and the centralized nursing information system. Data were analyzed using the non-parametric Wilcoxon test and independent paired t-test. This research was conducted from September 24, 2022, to January 24, 2023, in the AS Inpatient Ward at IS Makassar Hospital for the intervention group and the AR Inpatient Ward at IS Makassar Hospital for the control group.

RESULT

Table 1. Description of Characteristic Respondent

	Intervention (n=55)	Control (n=55)	Total
Gender			
Male	26	22	48

Female	29	33	62
Age (years)			
≤ 30	17	16	33
31–40	18	25	43
> 40	20	14	34
Education Level			
Diploma	16	15	31
Bachelor's Degree	30	36	66
Master's Degree	9	4	13
Work Experience (years)			
≤ 5 years	14	13	27
6–10 years	26	28	54
> 10 years	15	14	29

Based on the table, the majority of respondents were female (56.4%) compared to males (43.6%), with a balanced distribution between the intervention and control groups. Most respondents were aged 31–40 years (39.1%), followed by those aged >40 years (30.9%) and ≤30 years (30.0%). In terms of education, the majority held a Bachelor's degree (60%), followed by those with a Diploma (28.2%) and a Master's degree (11.8%). Regarding work experience, most respondents had 6–10 years of experience (49.1%), while those with ≤5 years and >10 years accounted for 24.5% and 26.4%, respectively. These percentages reflect a balanced and relevant respondent profile to support the validity of the study.

Table 2. Description of nurses' knowledge in compiling in nursing care management implementation

Descriptive Data	N	Min	Max	Mean	Median	Std. Deviation
Intervention group (Pre-Test)	55	18	24	21.41	22.20	1.652
Control group (Pre-Test)	55	18	26	21.86	21.20	2.541

Based on table 2, the pre-test results for both groups, namely the intervention group and the control group, show relatively balanced average knowledge scores, at 21.41 and 21.86, respectively. This indicates that, prior to the nursing care management intervention, the baseline knowledge level between the two groups was almost identical. The slight difference in standard deviation, with a value of 1.652 in the intervention group and 2.541 in the control group, suggests that knowledge distribution was more consistent in the intervention group compared to the control group, which had a wider range of scores.

This data is important for the research topic, as it demonstrates that both groups had

comparable baseline knowledge levels. This ensures that comparing changes in knowledge levels after the intervention will provide a more accurate evaluation of the effect of nursing care management on the improvement of a centralized information system. Thus, the study results assess whether the intervention has a significant impact on the knowledge needed to strengthen the centralized information system in nursing.

Table 3. Description of nurses' knowledge in preparing nursing care management implementation

Descriptive Data	N	Min	Max	Mean	Median	Std. Deviation
Intervention group (Pre-Test)	55	22	32	25.62	25.10	2.522
Control group (Post-Test)	55	20	26	21.50	21.13	2.811

Based on table 3, the post-test results show that the intervention group, consisting of 20 respondents, achieved an average knowledge score of 25.62 with a median of 25.10, a minimum score of 22, and a maximum score of 32. The standard deviation of 2.522 indicates that the distribution of knowledge scores in the intervention group was relatively consistent. Meanwhile, the control group, also consisting of 20 respondents, had an average score of 21.50 with a median of 21.13, a minimum score of 20, and a maximum score of 26, with a standard deviation of 2.811, indicating slightly greater variation in their knowledge distribution.

The interpretation of these values shows that, after nursing care management intervention, there was a significant increase in knowledge in the intervention group compared to the control group, which did not receive the intervention. The higher average score in the intervention group demonstrates that nursing care management effectively improved understanding related to the centralized information system among nurses. The lower standard deviation in the intervention group also indicates that this increase in knowledge was more evenly distributed, reflecting better consistency in understanding after the intervention.

Table 4. The impact of nursing care management implementation on the improvement of a centralized nursing information system

Data	N	Mean	Mean difference	p value
Intervention group (Pre-Test)	55	21.41		
Control group (Post-Test)	55	25.62	4.21	0.002

Based on table 4 above, the mean value in the intervention group (post-test) showed an increase compared to the group (pre-test) with a difference of 4.21, resulting in a p-value of 0.002. Therefore, the decision is that the p-value < p-alpha (0.05), so it can be concluded that H_0 is rejected and H_a is accepted. This means that there is an influence of nursing care management on the improvement of the centralized information system at IS Makassar Hospital in 2023. The research successfully proved that improving the quality of nursing care management can influence the effectiveness of data collection, recording, or utilization within a centralized information system. Thus, these findings can serve as a basis for broader decision-making or policy development to enhance the efficiency and quality of healthcare services.

DISCUSSION

Good knowledge of nursing care management for the improvement of a centralized information system is an essential part of effective and high-quality nursing practice.¹⁰ Accurate and organized data and information management can provide significant benefits to patients, such as helping to monitor patient conditions, identifying health issues that require further intervention, and ensuring that the care provided meets applicable nursing standards.¹¹ Knowledge is the result of a process consisting of four stages: observation, interpretation, evaluation, and communication. Knowledge not only includes information but also the understanding and use of that information in relevant contexts.¹⁸

Better nursing care management can have a significant positive impact on improving patient safety, with more complete and

systematic documentation, the risk of medical errors can be minimized, as information is more accurate and can be easily accessed by all healthcare team members.¹⁹ This enables more timely actions that are appropriate to the patient's condition, as well as facilitating better communication between doctors, nurses, and other medical staff. Moreover, better nursing care management can also reduce confusion among the medical team in decision-making and minimize potential errors in the care process, which in turn will enhance the quality and safety of care.¹⁵

The knowledge possessed by both the intervention group and the control group, based on the level of knowledge, falls into the category of insufficient knowledge.¹⁶ Knowledge is not an absolute truth but is always in a developmental stage and can change along with the progress of science and technology. Therefore, one must always be open to change and update their knowledge to adapt to the changes occurring around them. Knowledge is influenced by both internal and external factors.²⁰ In this study, the internal factors that affect knowledge include age, education, and experience or length of employment.²¹

This is in line with the findings of the research at IS Makassar Hospital, which showed a difference in knowledge scores between the intervention and control groups, with a p-value of 0.002. Knowledge improvement is influenced by many factors, one of which is experience or length of employment. The more experience a nurse has, the more their ability to capture information and think critically develops.²²

The novelty of this study lies in examining the impact of implementing nursing care management on the improvement of a centralized nursing information system in hospitals. This research contributes new insights by linking better nursing care management with the enhancement of the quality and accuracy of information within the centralized nursing information system, while also identifying factors that influence the improvement of nurses' knowledge and skills. Additionally, the study explores practical

challenges in the implementation of nursing care management, such as hospital infrastructure issues, resource limitations, and resistance from medical staff, and proposes practical solutions such as continuous training and management support to overcome these barriers. Therefore, this study provides a comprehensive perspective on the impact of nursing care management on the improvement of centralized nursing information systems, which can be applied in other hospitals to enhance healthcare service quality through information technology.

However, there are some potential limitations in this study that need to be considered.¹⁷ The small sample size and the fact that it was conducted in a single hospital may affect the generalizability of the study's findings. Acknowledging these limitations provides a more balanced interpretation of the results, allowing readers to consider the context and limitations when evaluating the impact of the intervention.

In addition, challenges in implementing nursing care management in other hospitals need to be addressed. Possible barriers, such as differences in hospital infrastructure, resource limitations, or resistance from medical staff to procedural changes, should be taken into account.²³ Proposed solutions include continuous training for healthcare staff, increased support from hospital management, and integrating nursing care management into existing hospital information systems. This would make the discussion more relevant to healthcare administrators and policymakers who need to consider these factors when expanding the implementation of nursing care management in other healthcare facilities.²⁴

CONCLUSION AND RECOMMENDATIONS

The implementation of nursing care management has greatly improved the efficiency and effectiveness of a centralized nursing information system. This system has streamlined the management of patient information, enhanced communication among

healthcare providers, and reduced the likelihood of errors. As a result, the overall quality of nursing care has improved, leading to better patient outcomes and increased satisfaction among both patients and healthcare professionals.

Recommendation to sustain these improvements, it is essential to provide ongoing training for nursing staff to fully utilize the system's capabilities. Additionally, regular updates and customization of the system should be carried out to meet the changing needs of the healthcare environment. Strengthening collaboration between nursing and IT teams will further ensure the system's effectiveness in supporting high-quality nursing care.

ACKNOWLEDGEMENTS

This research was financially supported by Universitas Muslim Indonesia through research department. We explicitly state that the funding department had no involvement in the design, execution, analysis, interpretation, or preparation of the manuscript. This disclosure reinforces the independence and credibility of the research, ensuring transparency regarding the financial support received for this study.

REFERENCES

1. Hong WHS, Lundeen SP. Using ACHIS to analyze nursing health promotion interventions for vulnerable populations in a community nursing center: A pilot study. *Asian Nurs Res (Korean Soc Nurs Sci)* [Internet]. 2019;3(3):130–8. Tersedia pada: [http://dx.doi.org/10.1016/S1976-1317\(09\)60024-4](http://dx.doi.org/10.1016/S1976-1317(09)60024-4)
2. Ryu JI, Kim K. The influence of nursing care integration services on nurses' work satisfaction and quality of nursing care. *J Nurs Manag*. 2019;26(8):1024–32.
3. Siokal B. Effectiveness of Computer-Based Nursing Documentation in Nursing Care Hospital – A Literature Review. 2021;2(2):6. Tersedia pada: <https://pasca-umi.ac.id/index.php/jmch/article/view/502>
4. Strauss B. The Patient Perception of the Nurse-Patient Relationship When Nurses Utilize an Electronic Health Record Within a Hospital Setting. *CIN - Comput Informatics Nurs*. 2019;31(12):596–604.
5. Taylor DN. A Literature Review of Electronic Health Records in Chiropractic Practice: Common Challenges and Solutions. *J Chiropr Humanit* [Internet]. 2019;24(1):31–40. Tersedia pada: <https://doi.org/10.1016/j.echu.2016.12.001>
6. Tubaishat A. Perceived usefulness and perceived ease of use of electronic health records among nurses: Application of Technology Acceptance Model. *Informatics Heal Soc Care*. 2019;43(4):379–89.
7. Wang N, Yu P, Hailey D. Description and comparison of quality of electronic versus paper-based resident admission forms in Australian aged care facilities. *Int J Med Inform* [Internet]. 2019;82(5):313–24. Tersedia pada: <http://dx.doi.org/10.1016/j.ijmedinf.2012.11.011>
8. Zadvinskis IM, Chipps E, Yen P yin. Exploring nurses' confirmed expectations regarding health IT: A phenomenological study. *Int J Med Inform* [Internet]. 2019;83(2):89–98. Tersedia pada: <http://dx.doi.org/10.1016/j.ijmedinf.2013.11.001>
9. Vabo G, Science N, Science N, Fossum M, Science N, Science N, et al. Participants' perceptions of an intervention implemented in an Action Research Nursing Documentation Project. *Nurs Clin NA*. 2019;(4604).
10. Siokal B, Amiruddin R, Abdullah T, Thamrin Y, Syam Y, Palutturi S, et al. Improving the Quality of Assessment and Diagnosis in Nursing Care: A Literature Review. *Pharmacogn J*. 2023;15(4):703–6.
11. Siokal B, Wahyuningsih. Potensi Profesional Kesehatan Dalam Menjalankan Interprofessional Collaboration Practice Di Rumah Sakit Universitas Hasanuddin. *Bina Gener J Kesehat*. 2019;11(1):13–20.
12. Siokal B, Amiruddin R, Abdullah T, Thamrin Y, Palutturi S, Ibrahim E, et al. The Influence of Effective Nurse

- Communication Application on Patient Satisfaction: A Literature Review. *Pharmacogn J.* 2023;15(3):479–83.
13. Moy AJ, Schwartz JM, Chen RJ, Sadri S, Lucas E, Cato KD, et al. Measurement of clinical documentation burden among physicians and nurses using electronic health records: a scoping review. *J Am Med Informatics Assoc.* 2021;28(5):998–1008.
 14. Ranjbar K, Sabetsarvestani R, Oghlaee H, Sarvestani PS, Dehghan A, Shirazi ZH. Using Electronic Software for Nursing Documentation in Nursing Students. *Florence Nightingale J Nurs.* 2021;29(2):128–36.
 15. Shafiee M, Shanbehzadeh M, Nassari Z, Kazemi-Arpanahi H. Development and evaluation of an electronic nursing documentation system. *BMC Nurs.* 2022;21(1):1–12.
 16. Reynolds SS, Woltz P, Keating E, Neff J, Elliott J, Hatch D, et al. Results of the CHlorhexidine Gluconate Bathing implementation intervention to improve evidence-based nursing practices for prevention of central line associated bloodstream infections Study (CHanGing BathS): a stepped wedge cluster randomized trial. *Implement Sci.* 2021;16(1):1–16.
 17. Moldskred PS, Snibsoer AK, Espehaug B. Improving the quality of nursing documentation at a residential care home: a clinical audit. *BMC Nurs.* 2021;20(1):1–7.
 18. Marci Holub. Decreasing the Nursing Documentation Burden During the Covid-19 Surge. *Nurseleader.* 2020;(January).
 19. Lindsay MR, Lytle K. Implementing Best Practices to Redesign Workflow and Optimize Nursing Documentation in the Electronic Health Record. *Appl Clin Inform.* 2022;13(3):711–9.
 20. Wahyuningsih W, Bukhari A, Juliaty A, Erika KA, Pamungkas RA, Siokal B, et al. Stunting Prevention and Control Program to Reduce the Prevalence of Stunting: Systematic Review Study. *Open Access Maced J Med Sci.* 2022;10(F):190–200.
 21. Kodama K, Konishi S, Manabe S, Okada K, Yamaguchi J, Wada S, et al. Impact of an Electronic Medical Record–Connected Questionnaire on Efficient Nursing Documentation: Usability and Efficacy Study. *JMIR Nurs.* 2023;6(1):1–14.
 22. Kleib M, Jackman D, Wisnesky UD, Ali S. Academic Electronic Health Records in Undergraduate Nursing Education: Mixed Methods Pilot Study. *JMIR Nurs.* 2021;4(2):1–14.
 23. Gesner E, Dykes PC, Zhang L, Gazarian P. Documentation Burden in Nursing and Its Role in Clinician Burnout Syndrome. *Appl Clin Inform.* 2022;13(5):983–90.
 24. Kemebeck S, Busse TS, Jux C, Dreier LA, Meyer D, Zenz D, et al. Evaluation of an Electronic Medical Record Module for Nursing Documentation in Paediatric Palliative Care: Involvement of Nurses with a Think-Aloud Approach. *Int J Environ Res Public Health.* 2022;19(6).

The Impact of Nursing Care Management Implementation on the Improvement of a Centralized Nursing Information System

ORIGINALITY REPORT

17%	13%	11%	4%
SIMILARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS

PRIMARY SOURCES

1	perpustakaan.poltekkes-malang.ac.id Internet Source	5%
2	repository.poltekkespalu.ac.id Internet Source	1%
3	Submitted to Politeknik Kesehatan Kemenkes Surabaya Student Paper	1%
4	"Innovation in Applied Nursing Informatics", IOS Press, 2024 Publication	1%
5	journal.univetbantara.ac.id Internet Source	1%
6	"Advances in Informatics, Management and Technology in Healthcare", IOS Press, 2022 Publication	1%
7	www.forikes-ejournal.com Internet Source	1%

8	Irene Llagostera-Reverter, David Luna-Aleixos, María Jesús Valero-Chillerón, Rafael Martínez-Gonzálbez et al. "Improving Nursing Assessment in Adult Hospitalization Units: A Secondary Analysis", Nursing Reports, 2023 Publication	1 %
9	doaj.org Internet Source	1 %
10	repository.upi.edu Internet Source	1 %
11	Jency Samuel Johnson, Savitha Satyaprasad, Hurlihal Sharath Chandra, Krishnamoorthy Shankar Havaladar, Ambili Raj, Nandan Suresh. "A Comparative Evaluation of the Dentoskeletal Treatment Effects Using Twin Block Appliance and Myobrace System on Class II Division I Malocclusion", International Journal of Clinical Pediatric Dentistry Internet Source	1 %
12	William J. Hitch, Irene Park Ulrich, Anne C. Warren, Dow Stick, Danielle Leyonmark, Mackenzie Farrar. "Evolution of Interdisciplinary Transition of Care Services in a Primary Care Organization", Pharmacy, 2019 Publication	<1 %

13	ERDOGAN, SEMRA, SELDA SECGINLI, GÜLHAN COSANSU, NURSEN O. NAHCIVAN, M. NIHAL ESIN, EMINE AKTAS, and KAREN A. MONSEN. "Using the Omaha System to Describe Health Problems, Interventions, and Outcomes in Home Care in Istanbul, Turkey : A Student Informatics Research Experience", CIN Computers Informatics Nursing, 2013. Publication	<1 %
14	Sarlina, Yuli Admasari. "Knowledge and Attitudes of Young Women about the First 1000 Days of Life (HPK) in Stunting Prevention", Journal of Global Research in Public Health, 2022 Publication	<1 %
15	media.neliti.com Internet Source	<1 %
16	worldwidescience.org Internet Source	<1 %
17	Ivana Ognjanović, Emmanouil Zoulas, John Mantas. "Progress Achieved, Landmarks, and Future Concerns in Biomedical and Health Informatics", Healthcare, 2024 Publication	<1 %
18	bmchealthservres.biomedcentral.com Internet Source	<1 %
	bmcmmedinformdecismak.biomedcentral.com	

19	Internet Source	<1 %
20	staging-medinform.jmir.org Internet Source	<1 %
21	www.grafiati.com Internet Source	<1 %
22	www.jmatonline.com Internet Source	<1 %
23	Ratna Dewi. "Primary Nurse Experiences in Applying Primary Method: A Phenomenology Study", Nursing & Care Open Access Journal, 2017 Publication	<1 %

Exclude quotes On

Exclude matches Off

Exclude bibliography On

2	8 September 2024	Permohonan Upload Author dan Bukti Etik
3	12 Oktober 2024	Penulis Mengupload author statment dan bukti etik penelitian

Tanggal 8 September 2024


Permohonan Upload Author Statement dan Bukti Etik.



Pada tahap proses editorial artikel yang saya submit ke *Poltekita: Jurnal Ilmu Kesehatan*, saya menerima email dari Editor jurnal yang ditujukan kepada penulis (author). Dalam email tersebut, editor meminta agar saya melengkapi dokumen pendukung berupa **Author Statement** dan **Bukti Etik**.

Adapun kutipan isi pesan dari email tersebut adalah sebagai berikut:

“Yth. Penulis, mohon untuk segera melengkapi dokumen pendukung berupa Author Statement dan Bukti Etik sebagai bagian dari kelengkapan proses review dan publikasi artikel Anda. Silakan unggah melalui sistem atau mengirimkannya melalui email kami secepatnya. Terima kasih atas kerjasama Anda.”

Menanggapi permintaan tersebut, saya segera mengajukan permohonan untuk mengunggah dokumen **Author Statement** dan **Bukti Etik** melalui sistem manajemen jurnal, sebagai bagian dari komitmen terhadap etika publikasi ilmiah dan kelengkapan proses penerbitan.





Pada tanggal 8 Oktober 2024 saya telah melakukan revisi naskah sesuai dengan masukan dari editor *Poltekita: Jurnal Ilmu Kesehatan* dan telah mengunggah dokumen **Bukti Etik** melalui sistem manajemen jurnal sebagai bagian dari kelengkapan proses publikasi.

← → ↻ jurnal.poltekkespalu.ac.id/index.php/poltekita/authorDashboard/submission/1732 ☆ 📄 📥 🖨️ ⋮

🗄️ Google All Bookmarks

Pottekita : Jurnal Ilmu Kesehatan Tasks 1 English View Site brajakson

Submission Library View Metadata

Download All Files

Pre-Review Discussions Add discussion

Name	From	Last Reply	Replies	Closed
Revisi	kadar	2024-10-08 14:21 AM	0	☐
▶ Author statement dan etik	brajakson	2024-10-08 14:21 AM	0	☐

Subm Author statement dan etik ✕

Participants Edit

Kadar Muhammad (kadar)

Brajakson Siokal (brajakson)

Messages

Note	From
Berikut kami lampirakn author statement dan lampiran etik penelitian kami.	brajakson 2024-10-9 06:12 AM
☐ brajakson, Authorship Statement 2024.pdf	
☐ brajakson, etik.pdf	

Add Message



KOMITE ETIK PENELITIAN KESEHATAN
(HEALTH RESEARCH ETHICS COMMITTEE)

SEKOLAH TINGGI ILMU KESEHATAN "MALUKU HUSADA"
(COLLEGE OF HEALTH SCIENCE "MALUKU HUSADA")

LOLOS KAJI ETIK
(ETHICAL APPROVAL)

No: RK. 156/KEPK/STIK/II/2024

Komite Etik Penelitian Kesehatan Sekolah Tinggi Ilmu Kesehatan "Maluku Husada", dalam rangka melindungi hak azasi dan kesejahteraan subyek penelitian kesehatan, telah memeriksa protokol penelitian berikut ini,

(Health Research Ethics Committee of College of Health Science "Maluku Husada", in order to protect human rights of health research subjects, has reviewed the following research protocol.)

Judul (Title):

The Impact of Nursing Care Management Implementation on the Improvement of a Centralized Nursing Information System

Peneliti Utama (Principal Investigator):

Brajakson Siokal

Nama Institusi (Name of Institution):

Universitas Muslim Indonesia

Berdasarkan hasil review tersebut, komite telah menyetujui protokol tersebut.

(Based on the results of the review, the committee approved the protocol.)


Kairatu, 12-02-2024




Dr. Sahrir Sillehu, S.KM., M.Kes.
NIP. 197406221998031007

4	24 Oktober 2024	Mengecek status paper pada OJS (Status Menunggu Proses Review)
---	-----------------	--

Saya telah melakukan pengecekan status naskah pada sistem OJS (*Open Journal System*) pada beberapa kesempatan. Pada tanggal **24 Oktober 2023**, status naskah tercatat sebagai **"Menunggu untuk direview oleh reviewer"**. Selanjutnya, pada tanggal **26 Oktober 2024**, saya kembali melakukan pengecekan dan status naskah masih menunjukkan **"Menunggu proses review"**, yang menandakan bahwa naskah masih berada dalam tahap evaluasi awal sebelum ditinjau oleh reviewer.




Selanjutnya, pada tanggal **26 Oktober 2024**, saya kembali melakukan pengecekan dan status naskah masih menunjukkan **"Menunggu proses review"**, yang menandakan bahwa naskah masih berada dalam tahap evaluasi awal sebelum ditinjau oleh reviewer.



5	2 November 2024	Pemberitahuan hasil review paper dari editor dan reviewer
---	-----------------	---

Pada tanggal **2 November 2024**, saya menerima pemberitahuan dari editor mengenai hasil review artikel yang telah dilakukan oleh reviewer. Pemberitahuan tersebut berisi masukan, koreksi, serta saran perbaikan yang perlu ditindaklanjuti untuk proses revisi naskah selanjutnya.



The Impact of Nursing Care Management Implementation on the Improvement of a Centralized Nursing Information System

Brajakson Siokal^{1*}, Wahyuningsih², Ahmad Yani³

¹Universitas Muslim Indonesia, South Sulawesi, Indonesia

²Universitas Patria Artha, South Sulawesi, Indonesia

³Faculty of Public Health, Universitas Muhammadiyah Palu, Central Sulawesi, Indonesia
(Correspondence author email: brajakson.siokal@umi.ac.id)

ABSTRACT

The implementation of nursing care management can improve centralized nursing information system through better documentation, more effective workflow, and increasing nurse knowledge about system usage. The purpose of this research is to know the effect of applying nursing care management on centralized nursing information system improvement at IS Makassar Hospital in 2023. This research used quasi experiment with pretest and posttest design and control group, the sample is 110 nurses from four inpatient rooms by total sampling method. The analysis used Wilcoxon test and independent t-test. The result showed there is significant influence of the implementation of nursing care management. The p-value for intervention group was 0.002 and between group difference was 0.0002. This means that nursing care management helps nurse to improve documentation quality and system knowledge. It is suggested to do training for nurses and evaluate the long-term effect of this program.

Keywords : nursing care; intervention; nursing documentation; outcome

INTRODUCTION

The development of knowledge and technology, especially in the field of information systems, has influenced how society interacts with services, including health services. People are becoming more critical of the quality of services they receive. Nurses, as health professionals, are expected to provide standard and proper nursing care management, including good documentation and complete reporting.¹ Proper nursing care management is not only useful to give better services but also as evidence in case there are problems between patients and nurses. That's why nursing care management has an important role in improving the quality of health services.² Proper nursing care management is not only crucial for delivering optimal care but also serves as valid evidence in resolving issues that may arise between patients and nurses. Therefore, nursing care management plays a vital role in improving the overall quality of healthcare services.³

However, some studies show that in the implementation of nursing care management, there are still incomplete documentations, especially in the parts of diagnosis and nursing intervention. The completeness of nursing diagnosis is only 79%, and interventions are only documented at 74%. This shows that the quality of nursing care is still low. From audits, problems like unorganized records and incomplete reports are found.⁴ A study in 40 patient medical records found that many nurses did not arrange diagnosis and intervention following the guidelines. Also, more than half of nurses just copied diagnosis and interventions from old records, which affects the quality and truth of the data. These problems reduce the communication quality between nurses and other healthcare workers, and that may give negative results in patient care.⁵ Furthermore, over half of the nurses simply copied diagnoses and interventions from previous records, which tends to compromise the accuracy and quality of the nursing care data. This poor quality of nursing care management has a negative impact on communication between nurses and other healthcare professionals, which can risk patient care outcomes.⁶

Several factors contribute to the low quality of nursing care management, one of which is the lack of clear guidelines for implementing nursing care management according to the established standards.⁷ In addition, issues such as the low nurse-to-patient ratio, limited training opportunities for nurses, and ineffective leadership also play a role in this problem. Therefore, there is a need for efforts to improve nursing care management to enhance the quality of healthcare services.⁸

K kadarramadhan@hotmail.com
The opening sentence is too general and lacks focus on the main topic. It uses an overly broad or weak structure with the phrase "can improve" and lacks specificity. Please revise it to be more detailed.

R reviewerPIK01@outlook.com
Please ensure consistency and scientific accuracy, particularly in the use of phrases. For example, instead of saying "nurse knowledge about system usage," it is more appropriate to say "nurses' knowledge regarding system usage."

R reviewerPIK01@outlook.com
The research objective lacks precision and uses non-standard grammar. The phrase "to know the effect" is not academic enough. It would be more appropriate to use "to assess the impact" or "to evaluate the effect."

R reviewerPIK01@outlook.com
The structure and purpose of the research method are unclear.

K kadarramadhan@hotmail.com
Consistency in scientific terminology is important, such as the use of "quasi-experimental design," "total sampling," and "clinical decision-making."

R reviewerPIK01@outlook.com
The phrase "helps nurse to improve documentation" should be revised to "improves nurses' documentation skills."

K kadarramadhan@hotmail.com
The development of the issue or problem regarding documentation is unclear. Please provide a clear progression from general to the specific issue being discussed.

K kadarramadhan@hotmail.com
The sentence structure should be revised for a clearer logical flow, focusing on the improvement of nursing documentation, and include clear data to support it.

K kadarramadhan@hotmail.com
The language should be more academic and formal, avoiding phrases like "That's why," "useful," and "old records." Instead, consider using more precise terms such as "Therefore," "beneficial," and "previous records."

R reviewerPIK01@outlook.com
Pay attention to consistency and scientific terminology. Terms such as "proper nursing care management," "documentation," and "reporting" should be used consistently and in a more scholarly manner.

arrange diagnosis and intervention following the guidelines. Also, more than half of nurses just copied diagnosis and interventions from old records, which affects the quality and truth of the data. These problems reduce the communication quality between nurses and other healthcare workers, and that may give negative results in patient care.⁵ Furthermore, over half of the nurses simply copied diagnoses and interventions from previous records, which tends to compromise the accuracy and quality of the nursing care data. This poor quality of nursing care management has a negative impact on communication between nurses and other healthcare professionals, which can risk patient care outcomes.⁶

Several factors contribute to the low quality of nursing care management, one of which is the lack of clear guidelines for implementing nursing care management according to the established standards.⁷ In addition, issues such as the low nurse-to-patient ratio, limited training opportunities for nurses, and ineffective leadership also play a role in this problem. Therefore, there is a need for efforts to improve nursing care management to enhance the quality of healthcare services.⁸

Effective nursing care management can significantly contribute to the improvement of centralized healthcare information systems in hospitals.⁹ By implementing more systematic nursing care management, the resulting data will be more complete and accurate.¹⁰ This will strengthen the centralized healthcare information system, ultimately improving the efficiency, accuracy, and safety of healthcare services.¹¹ A centralized system relies on accurate and timely data, which can only be achieved through well-organized nursing care management.^{12, 13}

Based on these factors, this research aims to investigate the impact of nursing care management on the improvement of centralized healthcare information systems at RS IS Makassar. The study is expected to provide insights into how the implementation of good nursing care management can improve the quality of healthcare information systems, which in turn will contribute to the enhancement of healthcare service quality at the hospital.

METHODS

The research used a quasi-experiment with pretest and posttest with a control group. The study was carried out in four inpatient rooms at IS Makassar Hospital. AS and FR wards were used as the intervention group, while AR and MN wards were used as the control group. IS Makassar Hospital was chosen because it is a referral hospital in Eastern Indonesia and has a centralized nursing information system. The hospital also has complete facilities and nurses with different backgrounds and experiences. All nurses in these wards became the subjects of this study. The sampling technique used was total sampling with a total of 110 nurses, 55 in the intervention group and 55 in the control group.

The characteristics of the subjects varied in terms of work experience and education. Some had 1

METHODS

The research used a quasi-experiment with pretest and posttest with a control group. The study was carried out in four inpatient rooms at IS Makassar Hospital. AS and FR wards were used as the intervention group, while AR and MN wards were used as the control group. IS Makassar Hospital was chosen because it is a referral hospital in Eastern Indonesia and has a centralized nursing information system. The hospital also has complete facilities and nurses with different backgrounds and experiences. All nurses in these wards became the subjects of this study. The sampling technique used was total sampling with a total of 110 nurses, 55 in the intervention group and 55 in the control group.

The characteristics of the subjects varied in terms of work experience and education. Some had 1 year of experience, others up to 10 years. Educational background ranged from D3 to S1 Nursing, and some had taken training in nursing care management. The instrument used was a questionnaire that measured knowledge about nursing care management and documentation, which had been validated before.

Data were analyzed using the Wilcoxon test and paired t-test. Tests for normality and homogeneity were done first. This study received ethical clearance from the ethics committee (No. RK.156/KEPK/STIK/II/2024). All participants were informed about the research, and consent forms were signed. All data were kept confidential and only used for this research. This study took place from September 24, 2022, to January 24, 2023. The intervention group was in AS ward, and the control group was in AR ward of IS Makassar Hospital.

reviewerPIK01@outlook.com
Pay attention to consistency and scientific terminology. Terms such as "proper nursing care management," "documentation," and "reporting" should be used consistently and in a more scholarly manner.

reviewerPIK01@outlook.com
Please clarify the data. Strengthen the problem with clear data support. For example, data showing 79% and 74% are mentioned, but they lack strong analytical significance.

reviewerPIK01@outlook.com
It should be strengthened with a clearer emphasis on the direction of this research, focusing on the impact of the use or implementation of nursing documentation, which can enhance the centralization of all nursing information.

kadarramadhan@hotmail.com
Add reinforcement to emphasize that this research is crucial for the development of nursing science today.

reviewerPIK01@outlook.com
It is necessary to add clearer reinforcement regarding the direction of this research, focusing on the impact of the use or implementation of nursing documentation, which can enhance the centralization of all nursing information.

reviewerPIK01@outlook.com
It is necessary to add clearer reinforcement regarding the direction of this research, focusing on the impact of the use or implementation of nursing documentation, which can enhance the centralization of all nursing information.

kadarramadhan@hotmail.com
The use of words such as *used*, *carried out*, and *some had* still feels informal for a scientific journal.

kadarramadhan@hotmail.com
Please maintain consistency in writing. The placement of important information is not well-organized, with content scattered throughout the text, and there is repetition, such as the terms "*intervention group*" and "*control group*" appearing twice unnecessarily.

kadarramadhan@hotmail.com
The explanation of the instruments and their validation lacks a systematic structure and is even repeated in different paragraphs. Please organize this section in a clear, systematic manner.

kadarramadhan@hotmail.com
The placement of time and location information is unclear and unsystematic—for example, details about the implementation time and the locations of the intervention and control groups are only mentioned at the end. This information should be presented earlier and in a more structured manner.

INTRODUCTION

The development of knowledge and technology, especially in the field of information systems, has influenced how society interacts with services, including health services. People are becoming more critical of the quality of services they receive. Nurses, as health professionals, are expected to provide standard and proper nursing care management, including good documentation and complete reporting.¹ Proper nursing care management is not only useful to give better services but also as evidence in case there are problems between patients and nurses. That's why nursing care management has an important role in improving the quality of health services.² Proper nursing care management is not only crucial for delivering optimal care but also serves as valid evidence in resolving issues that may arise between patients and nurses. Therefore, nursing care management plays a vital role in improving the overall quality of healthcare services.³

However, some studies show that in the implementation of nursing care management, there are still incomplete documentations, especially in the parts of diagnosis and nursing intervention. The completeness of nursing diagnosis is only 79%, and interventions are only documented at 74%. This shows that the quality of nursing care is still low. From audits, problems like unorganized records and incomplete reports are found.⁴ A study in 40 patient medical records found that many nurses did not arrange diagnosis and intervention following the guidelines. Also, more than half of nurses just copied diagnosis and interventions from old records, which affects the quality and truth of the data. These problems reduce the communication quality between nurses and other healthcare workers, and that may give negative results in patient care.⁵ Furthermore, over half of the nurses simply copied diagnoses and interventions from previous records, which tends to compromise the accuracy and quality of the nursing care data. This poor quality of nursing care management has a negative impact on communication between nurses and other healthcare professionals, which can risk patient care outcomes.⁶

Several factors contribute to the low quality of nursing care management, one of which is the lack of clear guidelines for implementing nursing care management according to the established standards.⁷ In addition, issues such as the low nurse-to-patient ratio, limited training opportunities for nurses, and ineffective leadership also play a role in this problem. Therefore, there is a need for efforts to improve nursing care management to enhance the quality of healthcare services.⁸

Effective nursing care management can significantly contribute to the improvement of centralized healthcare information systems in hospitals.⁹ By implementing more systematic nursing care management, the resulting data will be more complete and accurate.¹⁰ This will strengthen the centralized healthcare information system, ultimately improving the efficiency, accuracy, and safety of healthcare services.¹¹ A centralized system relies on accurate and timely data, which can only be

INTRODUCTION

The development of knowledge and technology, especially in the field of information systems, has influenced how society interacts with services, including health services. People are becoming more critical of the quality of services they receive. Nurses, as health professionals, are expected to provide standard and proper nursing care management, including good documentation and complete reporting.¹ Proper nursing care management is not only useful to give better services but also as evidence in case there are problems between patients and nurses. That's why nursing care management has an important role in improving the quality of health services.² Proper nursing care management is not only crucial for delivering optimal care but also serves as valid evidence in resolving issues that may arise between patients and nurses. Therefore, nursing care management plays a vital role in improving the overall quality of healthcare services.³

However, some studies show that in the implementation of nursing care management, there are still incomplete documentations, especially in the parts of diagnosis and nursing intervention. The completeness of nursing diagnosis is only 79%, and interventions are only documented at 74%. This shows that the quality of nursing care is still low. From audits, problems like unorganized records and incomplete reports are found.⁴ A study in 40 patient medical records found that many nurses did not arrange diagnosis and intervention following the guidelines. Also, more than half of nurses just copied diagnosis and interventions from old records, which affects the quality and truth of the data. These problems reduce the communication quality between nurses and other healthcare workers, and that may give negative results in patient care.⁵ Furthermore, over half of the nurses simply copied diagnoses and interventions from previous records, which tends to compromise the accuracy and quality of the nursing care data. This poor quality of nursing care management has a negative impact on communication between nurses and other healthcare professionals, which can risk patient care outcomes.⁶

Several factors contribute to the low quality of nursing care management, one of which is the lack of clear guidelines for implementing nursing care management according to the established standards.⁷ In addition, issues such as the low nurse-to-patient ratio, limited training opportunities for nurses, and ineffective leadership also play a role in this problem. Therefore, there is a need for efforts to improve nursing care management to enhance the quality of healthcare services.⁸

Effective nursing care management can significantly contribute to the improvement of centralized healthcare information systems in hospitals.⁹ By implementing more systematic nursing care management, the resulting data will be more complete and accurate.¹⁰ This will strengthen the centralized healthcare information system, ultimately improving the efficiency, accuracy, and safety of healthcare services.¹¹ A centralized system relies on accurate and timely data, which can only be achieved through well-organized nursing care management.^{12 13}

Based on these factors, this research aims to investigate the impact of nursing care management on the improvement of centralized healthcare information systems at RS IS Makassar. The study is expected to provide insights into how the implementation of good nursing care management can improve the quality of healthcare information systems, which in turn will contribute to the enhancement of healthcare service quality at the hospital.

K **kadarramadhan@hotmail.com**

Pengembangan masalah atau isu tentang dokumentasi tidak jelas. Buatlah pengembangan yang jelas dari umum ke masalah khusus yang dibahas.

K **kadarramadhan@hotmail.com**

Struktur Kalimat Diperbaiki untuk Alur Logika yang Lebih Jelas dan terarah pada peningkatan perbaikan dokumentasi keperawatan sertakan dengan data datanya yang jelas.

K **kadarramadhan@hotmail.com**

Penggunaan Bahasa yang Lebih Akademik dan Formal seperti "That's why," "useful," dan "old records."

R **reviewerPIK01@outlook.com**

Perhatikan Konsistensi dan Terminologi Ilmiah. Istilah seperti "proper nursing care management," "documentation," dan "reporting" digunakan secara lebih konsisten dan profesional dalam versi revisi.

R **reviewerPIK01@outlook.com**

Harap perjas datanya. Penguatan Masalah dengan Dukungan Data yang jelas. Misalnya data 79% dan 74% disebutkan, tapi tidak diberi makna analitis yang kuat. Perbaiki bahwa angka tersebut diposisikan sebagai bukti nyata rendahnya mutu dokumentasi keperawatan dan menjadi landasan logis mengapa masalah ini penting untuk diteliti.

kadarramadha... Pengembangan masalah atau ▼

K **kadarramadhan@hotmail.com**

Struktur Kalimat Diperbaiki untuk Alur Logika yang Lebih Jelas dan terarah pada peningkatan perbaikan dokumentasi keperawatan sertakan dengan data datanya yang jelas.

K **kadarramadhan@hotmail.com**

Penggunaan Bahasa yang Lebih Akademik dan Formal seperti "That's why," "useful," dan "old records."

R **reviewerPIK01@outlook.com**

Perhatikan Konsistensi dan Terminologi Ilmiah. Istilah seperti "proper nursing care management," "documentation," dan "reporting" digunakan secara lebih konsisten dan profesional dalam versi revisi.

R **reviewerPIK01@outlook.com**

Harap perjas datanya. Penguatan Masalah dengan Dukungan Data yang jelas. Misalnya data 79% dan 74% disebutkan, tapi tidak diberi makna analitis yang kuat. Perbaiki bahwa angka tersebut diposisikan sebagai bukti nyata rendahnya mutu dokumentasi keperawatan dan menjadi landasan logis mengapa masalah ini penting untuk diteliti.

R **reviewerPIK01@outlook.com**

Perlu ditambahkan dengan penguatan yang lebih jelas, tentang arah riset ini tentang dampak dari penggunaan atau penerapan dokumentasi keperawatan yang bisa meningkatkan keterpusatan seluruh informasi keperawatan.

K **kadarramadhan@hotmail.com**

Tambahkan dengan narasi yang memartase

RESULT

Table 1. Description of Characteristic Respondent

Variables	Intervention		Control		Total	
	(n=55)	%	(n=55)	%	n	%
Gender						
Male	26	47.3	22	40.0	48	43.6
Female	29	52.7	33	60.0	62	56.4
Age (years)						
≤ 30	17	30.9	16	29.1	33	30.0
31–40	18	32.7	25	45.5	43	39.1
> 40	20	36.4	14	25.5	34	30.9
Education Level						
Diploma	16	29.1	15	27.3	31	28.2
Bachelor's Degree	30	54.5	36	65.5	66	60.0
Master's Degree	9	16.4	4	7.3	13	11.8
Work Experience (years)						
≤ 5 years	14	25.5	13	23.6	27	24.5
6–10 years	26	47.3	28	50.9	54	49.1
> 10 years	15	27.3	14	25.5	29	26.4

Based on Table 1, most respondents were female (56.4%) compared to males (43.6%), with a balanced distribution between the intervention and control groups. Most respondents were aged 31–40 years (39.1%), followed by those aged >40 years (30.9%) and ≤30 years (30.0%).

Table 2. Description of nurses' knowledge in compiling in nursing care management implementation

Descriptive Data	N	Min	Max	Mean	Median	Std. Deviation
Intervention group (Pre-Test)	55	18	24	21.41	22.20	1.652
Control group (Pre-Test)	55	18	26	21.86	21.20	2.541

Based on table 2, the pre-test results for both groups, namely the intervention group and the control group, show relatively balanced average knowledge scores, at 21.41 and 21.86, respectively. This indicates that, prior to the nursing care management intervention, the baseline knowledge level between the two groups was almost identical.

Table 3. Description of nurses' knowledge in preparing nursing care management implementation

Descriptive Data	N	Min	Max	Mean	Median	Std. Deviation
Intervention group (Post Test)	55	22	32	25.62	25.10	2.522
Control group (Post Test)	55	20	26	21.50	21.13	2.811

Based on Table 3, the post-test results show that the 20 respondents' intervention group achieved an average knowledge score of 25.62 with a median of 25.10, a minimum score of 22, and a maximum score of 32.

The interpretation of these values shows that, after the nursing care management intervention, there was a significant increase in knowledge in the intervention group compared to the control group, which did not receive the intervention.

reviewerPIK01@outlook.com

The explanation of the table does not accurately reflect its content. Please provide a more comprehensive description that clearly interprets the data presented in the table.

kadarramadhan@hotmail.com

The explanation and data description beside the table are too minimal and very unclear. They do not provide a comprehensive representation of the table's content. Please elaborate or narrate each figure in the table to clearly convey its meaning and significance.

reviewerPIK01@outlook.com

Does this need to be described in terms of its meaning?

kadarramadhan@hotmail.com

Please ensure the description is not lacking in explanation. Add more details and expand it into several paragraphs.

reviewerPIK01@outlook.com

Additional explanation is still needed for this description, as some data have not been adequately described. Please provide a more thorough analysis and description of all the data.

kadarramadhan@hotmail.com

Similar to the previous table, this has not been explained or described. The narrative is unclear. Please provide a clear and detailed description to explain the data or information in the table.

kadarramadhan@hotmail.com

The additional explanation of the table is incomplete.

Table 4. The impact of nursing care management implementation on the improvement of a centralized nursing information system

Data	N	Mean	Mean difference	p value
Intervention group (Pre-Test)	55	21.41		
Control group (Post Test)	55	25.62	4.21	0.002

Based on Table 4 above, the mean value in the intervention group (post-test) showed an increase compared to the group (pre-test) with a difference of 4.21, resulting in a p-value of 0.002. Therefore, the decision is that the p-value < p-alpha (0.05), so it can be concluded that H_0 is rejected and H_a is accepted. This means that there is an influence of nursing care management on the improvement of the centralized information system at IS Makassar Hospital in 2023.

DISCUSSION

Good knowledge in nursing care management is very important for nursing services and systems. Nursing knowledge can help with documentation and patient care. If the data is well documented and organized, it will help nurses and patients.¹⁰ Nurses will know more about the patients and what to do. Also, this will help doctors and other staff because everything is clear. Nursing knowledge is not just about facts but also using it. So, knowledge comes from seeing, understanding, and sharing it.¹¹ Knowledge is the result of a process consisting of four stages: observation, interpretation, evaluation, and communication. Knowledge not only includes information but also the understanding and use of that information in relevant contexts.¹⁸

When nurses write better documentation, it helps avoid errors and improves safety. If the data is not clear, mistakes can happen. Better nursing care means better quality care and better safety for patients. It also makes teamwork better because everyone can understand the patient's condition. When nurses are more experienced, they know more and understand things faster. Nurses who have been working longer usually make better decisions. This study shows the same thing because the knowledge score was different in the two groups.¹⁹ Moreover, better nursing care management can also reduce confusion among the medical team in decision-making and minimize potential errors in the care process, which in turn will enhance the quality and safety of care.¹⁵

In this study, most nurses didn't have high knowledge scores. The level was still low. Knowledge can change over time.¹⁶ It is not fixed, so nurses should keep learning. Many things affect knowledge, like education, experience, and age. In this hospital, nurses with longer work experience had better

When nurses write better documentation, it helps avoid errors and improves safety. If the data is not clear, mistakes can happen. Better nursing care means better quality care and better safety for patients. It also makes teamwork better because everyone can understand the patient's condition. When nurses are more experienced, they know more and understand things faster. Nurses who have been working longer usually make better decisions. This study shows the same thing because the knowledge score was different in the two groups.¹⁹ Moreover, better nursing care management can also reduce confusion among the medical team in decision-making and minimize potential errors in the care process, which in turn will enhance the quality and safety of care.¹⁵

In this study, most nurses didn't have high knowledge scores. The level was still low. Knowledge can change over time.¹⁶ It is not fixed, so nurses should keep learning. Many things affect knowledge, like education, experience, and age. In this hospital, nurses with longer work experience had better knowledge.²⁰ In this study, the internal factors that affect knowledge include age, education, and experience or length of employment.²¹

This is in line with the findings of the research at IS Makassar Hospital, which showed a difference in knowledge scores between the intervention and control groups, with a p-value of 0.002. Knowledge improvement is influenced by many factors, one of which is experience or length of employment. The more experience a nurse has, the more their ability to capture information and think critically develops.²²

This research is new because it looks at how nursing management helps improve the centralized information system. It also finds problems that hospitals have, like lack of tools or staff who don't want to change. One solution is to do more training and get help from hospital leaders. If other hospitals want to use this system, they need to prepare better.

This study has limitations. It only happened in one hospital and didn't include many nurses, so maybe the results can't be used everywhere. Also, each hospital is different, and the results might not apply to all places. To fix this, future studies should use more hospitals. For the system to work in other hospitals, more training, tools, and management support are needed. This can help make services better in other hospitals too.

In addition, challenges in implementing nursing care management in other hospitals need to be addressed. Possible barriers, such as differences in hospital infrastructure, resource limitations, or resistance from medical staff to procedural changes, should be taken into account.²³ Proposed solutions

R reviewerPIK01@outlook.com
What does this mean? Please describe it in a more detailed paragraph.

K kadarramadhan@hotmail.com
Is there reinforcement of the meaning in the explanation of the table?

K kadarramadhan@hotmail.com
It is incomplete. Please add another paragraph.

R reviewerPIK01@outlook.com
The structure of the discussion is not systematic and inefficient. In this case, ideas in the paragraph are mixed, with no logical grouping (for example, discussing results, then jumping to background, and then to solutions). Please organize the discussion in a more structured and coherent way.

K kadarramadhan@hotmail.com
Sharpen and clarify the research results to be discussed more thoroughly or interpreted for further development in the discussion section.

R reviewerPIK01@outlook.com
There is no novelty presented in the discussion. Where is the novelty?

K kadarramadhan@hotmail.com
Sharpen and clarify the research results to be discussed more thoroughly or interpreted for further development in the discussion section.

R reviewerPIK01@outlook.com
There is no novelty presented in the discussion. Where is the novelty?

K kadarramadhan@hotmail.com
Lack of References and Emphasis on Findings: There is no mention of p-value or statistical data.

K kadarramadhan@hotmail.com
In the final paragraph, important recommendations should be provided. Where are they?

include continuous training for healthcare staff, increased support from hospital management, and integrating nursing care management into existing hospital information systems. This would make the discussion more relevant to healthcare administrators and policymakers who need to consider these factors when expanding the implementation of nursing care management in other healthcare facilities.²⁴

CONCLUSION

The implementation of nursing care management has improved the centralized nursing information system, making patient information management more efficient. This has enhanced communication among healthcare providers and reduced errors, leading to better care and patient outcomes.

To sustain these improvements, ongoing training for nursing staff is necessary, along with system updates and customization to meet healthcare needs. Collaboration between nursing and IT teams is also important.

ACKNOWLEDGEMENTS

This research was financially supported by Universitas Muslim Indonesia through its research department. We explicitly state that the funding department had no involvement in the design, execution, analysis, interpretation, or preparation of the manuscript. This disclosure reinforces the independence and credibility of the research, ensuring transparency regarding the financial support received for this study.

REFERENCES

1. Hong WHS, Lundeen SP. Using ACHIS to analyze nursing health promotion interventions for vulnerable populations in a community nursing center: A pilot study. *Asian Nurs Res (Korean Soc Nurs Sci)* [Internet]. 2019;3(3):130–8. Tersedia pada: [http://dx.doi.org/10.1016/S1976-1317\(09\)60024-4](http://dx.doi.org/10.1016/S1976-1317(09)60024-4)
2. Ryu JI, Kim K. The influence of nursing care integration services on nurses' work satisfaction and quality of nursing care. *J Nurs Manag*. 2019;26(8):1024–32.
3. Siokal B. Effectiveness of Computer-Based Nursing Documentation in Nursing Care Hospital – A Literature Review. 2021;2(2):6. Tersedia pada: <https://pasca-umi.ac.id/index.php/jmch/article/view/502>
4. Strauss B. The Patient Perception of the Nurse-Patient Relationship When Nurses Utilize an Electronic Health Record Within a Hospital Setting. *CIN - Comput Informatics Nurs*. 2019;31(12):596–604.
5. Taylor DN. A Literature Review of Electronic Health Records in Chiropractic Practice : Common

K **kadarramadhan@hotmail.com**
It is unclear and does not provide reinforcement for the conclusion.

K **kadarramadhan@hotmail.com**
Revise it and add information as a conclusion to serve as a model for future nursing documentation.


R **reviewerPIK01@outlook.com**
There is nothing complete in this conclusion. What does this mean? The structure is also not formal. Please revise it to provide a clear and complete conclusion with a more formal structure.

R **reviewerPIK01@outlook.com**
There are several references that are not included—please complete them if they are to be used as citations.

6	5 November 2024	Upload revisi paper di OJS
7	8 November 2024	Pemberitahuan hasil review paper dari editor dan reviewer
8	12 November 2024	Upload revisi paper di OJS

Pada tanggal 5 November 2024, penulis melakukan unggah revisi paper ke dalam sistem OJS (Open Journal System) setelah menyesuaikan naskah sesuai dengan masukan dari editor dan reviewer pada tahap sebelumnya. Revisi ini mencakup perbaikan pada struktur tulisan, penguatan data, serta penyempurnaan tata bahasa dan referensi, dengan tujuan meningkatkan kualitas naskah agar layak dipublikasikan.

Selanjutnya, **pada tanggal 8 November 2024**, penulis menerima pemberitahuan hasil review terbaru dari editor dan reviewer. Pada tahap ini, editor menyampaikan tanggapan terhadap hasil revisi yang telah dikirimkan sebelumnya, termasuk saran tambahan dan konfirmasi atas perbaikan yang telah dilakukan.



Kemudian, **pada tanggal 12 November 2024**, penulis kembali melakukan unggah revisi akhir melalui OJS, sebagai bentuk respons terhadap hasil review terbaru. Revisi ini merupakan penyesuaian terakhir yang mengacu pada komentar lanjutan dari editor dan reviewer, dan diharapkan menjadi versi final yang siap untuk proses publikasi.

Berikut adalah artikel hasil revisi dari koreksian editor dan reviewer :

The Impact of Nursing Care Management Implementation on the Improvement of a Centralized Nursing Information System

Brajakson Siokal^{1*}, Wahyuningsih², Ahmad Yani³

¹Universitas Muslim Indonesia, South Sulawesi, Indonesia

²Universitas Patria Artha, South Sulawesi, Indonesia

³Faculty of Pubic Health, Universitas Muhammadiyah Palu, Central Sulawesi, Indonesia

(Correspondence author email: brajakson.siokal@umi.ac.id)

ABSTRACT

Nursing care management improves the centralized nursing information system by ensuring accurate documentation, efficient workflows, and better technology training, as well as supporting clinical decision-making with quality data. This study aims to assess the impact of nursing care management implementation on the improvement of the centralized nursing information system at IS Makassar Hospital in 2023. A quasi-experimental design with pretest and posttest was used, involving a control group, with a sample size of 110 nurses from 4 inpatient wards participating in the study through total sampling. Data were analyzed using the Wilcoxon test and independent paired t-test. The results showed a significant impact of nursing care management implementation on the centralized nursing information system. The intervention group had a p-value of 0.002, and the difference between the intervention and control groups showed a p-value of 0.0002. These findings indicate that structured nursing care management improves nurses' documentation skills and knowledge. It is recommended to explore the optimization of continuous training for nurses in the use of the centralized nursing information system, and to conduct a long-term evaluation of the impact of nursing care management implementation on the quality of documentation.

Keywords : nursing care; intervention; nursing documentation; outcome



© 2024 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY SA) license (<https://creativecommons.org/licenses/by-sa/4.0/>).

INTRODUCTION

The advancement of knowledge and information technology has significantly impacted how society interacts with various services, including healthcare services.¹ This has led to a more critical approach to the quality of services provided. As healthcare professionals, nurses are expected to perform good and standardized nursing care management, which includes accurate and complete documentation and reporting.² Proper nursing care management is not only crucial for delivering optimal care but also serves as valid evidence in resolving issues that may arise between patients and nurses. Therefore, nursing care management plays a vital role in improving the overall quality of healthcare services.³

However, research findings on the implementation of nursing care management indicate that there is often incompleteness, particularly regarding diagnosis and nursing interventions. Studies have shown that the completeness of nursing diagnoses is only 79%, while nursing interventions are documented at only 74%.⁴ This reflects the low quality of nursing care management. Audits of nursing care management have also highlighted issues with disorganized and inadequate record-keeping and reporting systems. A study of 40 medical records revealed that many nurses did not arrange diagnoses and interventions according to established guidelines.⁵ Furthermore, over half of the nurses simply copied diagnoses and interventions from previous records, which tends to compromise the accuracy and quality of the nursing

care data. This poor quality of nursing care management has a negative impact on communication between nurses and other healthcare professionals, which can risk patient care outcomes.⁶

Several factors contribute to the low quality of nursing care management, one of which is the lack of clear guidelines for implementing nursing care management according to the established standards.⁷ In addition, issues such as the low nurse-to-patient ratio, limited training opportunities for nurses, and ineffective leadership also play a role in this problem. Therefore, there is a need for efforts to improve nursing care management to enhance the quality of healthcare services.⁸

Effective nursing care management can significantly contribute to the improvement of centralized healthcare information systems in hospitals.⁹ By implementing more systematic nursing care management, the resulting data will be more complete and accurate.¹⁰ This will strengthen the centralized healthcare information system, ultimately improving the efficiency, accuracy, and safety of healthcare services.¹¹ A centralized system relies on accurate and timely data, which can only be achieved through well-organized nursing care management.¹² Thus, implementing effective nursing care management not only impacts the quality of care provided but also contributes to the enhancement of the centralized information system that supports better clinical decision-making.¹³

The implementation of nursing care management has significant implications, particularly in optimizing patient outcomes and operational efficiency within healthcare systems. It fosters improved coordination among healthcare teams, enhances the accuracy and timeliness of clinical decision-making through centralized information systems, and reduces the risk of medical errors. Additionally, this approach supports evidence-based practices, ensuring that patient care aligns with the latest standards and guidelines, ultimately leading to increased patient satisfaction and trust in healthcare services.¹⁴

Based on these factors, this research aims to investigate the impact of nursing care management on the improvement of centralized healthcare information systems at RS IS Makassar. The study is expected to provide insights into how the implementation of good nursing care management can improve the quality of healthcare information systems, which in turn will contribute to the enhancement of healthcare service quality at the hospital.

METHODS

The research method used is a quasi-experimental design with pre-test and post-test and a control group design. This study was conducted in four inpatient wards at IS Makassar Hospital, namely AS and FR wards for the intervention group, and AR and MN wards for the control group. IS Makassar Hospital was selected because it has complete facilities and is a referral hospital in Eastern Indonesia, which has implemented a centralized nursing information system. The hospital also has many nurses with diverse backgrounds and experiences, providing insight into the implementation of nursing care management in a hospital setting that is constantly updated by all its nurses. All nurses in the four wards at IS Makassar Hospital were selected as research subjects. The sampling technique used was total sampling, involving 110 nurses, who were divided into two groups: 55 nurses in the intervention group and 55 nurses in the control group. The characteristics of the research subjects included varying levels of experience and qualifications, with work experience ranging from 1 to 10 years, and educational qualifications including nurses with a D3, Bachelor's degree in Nursing, and several of them having attended specialized training related to nursing care management. The instrument used was a questionnaire measuring knowledge about nursing care management and documentation quality, which had been validated by experts. Data were analyzed using the Wilcoxon test and independent paired t-test, with normality and homogeneity tests conducted beforehand.

This study has received ethical approval from the health research ethics committee (No. RK.156/KEPK/STIK/II/2024), and all participants were informed about the purpose, procedure, and their rights and provided written consent to participate. The data obtained were kept confidential and were used solely for research purposes. The instrument used was a knowledge questionnaire containing material related to nursing care management and the centralized nursing information system. Data were analyzed using the non-parametric Wilcoxon test and independent paired t-test. This research was conducted from September 24, 2022, to January 24, 2023, in the AS Inpatient Ward at IS Makassar

Hospital for the intervention group and the AR Inpatient Ward at IS Makassar Hospital for the control group.

RESULT

Table 1. Description of Characteristic Respondent

Variables	Intervention		Control		Total	
	(n=55)	%	(n=55)	%	n	%
Gender						
Male	26	47.3	22	40.0	48	43.6
Female	29	52.7	33	60.0	62	56.4
Age (years)						
≤ 30	17	30.9	16	29.1	33	30.0
31–40	18	32.7	25	45.5	43	39.1
> 40	20	36.4	14	25.5	34	30.9
Education Level						
Diploma	16	29.1	15	27.3	31	28.2
Bachelor's Degree	30	54.5	36	65.5	66	60.0
Master's Degree	9	16.4	4	7.3	13	11.8
Work Experience (years)						
≤ 5 years	14	25.5	13	23.6	27	24.5
6–10 years	26	47.3	28	50.9	54	49.1
> 10 years	15	27.3	14	25.5	29	26.4

Based on Table 1, most respondents were female (56.4%) compared to males (43.6%), with a balanced distribution between the intervention and control groups. Most respondents were aged 31–40 years (39.1%), followed by those aged >40 years (30.9%) and ≤30 years (30.0%). In terms of education, the majority held a Bachelor's degree (60%), followed by those with a Diploma (28.2%) and a Master's degree (11.8%). Regarding work experience, most respondents had 6–10 years of experience (49.1%), while those with ≤5 years and >10 years accounted for 24.5% and 26.4%, respectively. These percentages reflect a balanced and relevant respondent profile to support the validity of the study.

Table 2. Description of nurses' knowledge in compiling in nursing care management implementation

Descriptive Data	N	Min	Max	Mean	Median	Std. Deviation
Intervention group (Pre-Test)	55	18	24	21.41	22.20	1.652
Control group (Pre-Test)	55	18	26	21.86	21.20	2.541

Based on table 2, the pre-test results for both groups, namely the intervention group and the control group, show relatively balanced average knowledge scores, at 21.41 and 21.86, respectively. This indicates that, prior to the nursing care management intervention, the baseline knowledge level between the two groups was almost identical. The slight difference in standard deviation, with a value of 1.652 in the intervention group and 2.541 in the control group, suggests that knowledge distribution was more consistent in the intervention group compared to the control group, which had a wider range of scores.

This data is important for the research topic, as it demonstrates that both groups had comparable baseline knowledge levels. This ensures that comparing changes in knowledge levels after the intervention will provide a more accurate evaluation of the effect of nursing care management on the improvement of a centralized information system. Thus, the study results assess whether the intervention has a significant impact on the knowledge needed to strengthen the centralized information system in nursing.

Table 3. Description of nurses' knowledge in preparing nursing care management implementation

Descriptive Data	N	Min	Max	Mean	Median	Std. Deviation
Intervention group (<i>Post Test</i>)	55	22	32	25.62	25.10	2.522
Control group (<i>Post Test</i>)	55	20	26	21.50	21.13	2.811

Based on Table 3, the post-test results show that the 20 respondents' intervention group achieved an average knowledge score of 25.62 with a median of 25.10, a minimum score of 22, and a maximum score of 32. The standard deviation of 2.522 indicates that the distribution of knowledge scores in the intervention group was relatively consistent. Meanwhile, the control group, also consisting of 20 respondents, had an average score of 21.50 with a median of 21.13, a minimum score of 20, and a maximum score of 26, with a standard deviation of 2.811, indicating slightly greater variation in their knowledge distribution.

The interpretation of these values shows that, after the nursing care management intervention, there was a significant increase in knowledge in the intervention group compared to the control group, which did not receive the intervention. The higher average score in the intervention group demonstrates that nursing care management effectively improved understanding related to the centralized information system among nurses. The lower standard deviation in the intervention group also indicates that this increase in knowledge was more evenly distributed, reflecting better consistency in understanding after the intervention.

Table 4. The impact of nursing care management implementation on the improvement of a centralized nursing information system

Data	N	Mean	Mean difference	p value
Intervention group (<i>Pre-Test</i>)	55	21.41	4.21	0.002
Control group (<i>Post Test</i>)	55	25.62		

Based on Table 4 above, the mean value in the intervention group (post-test) showed an increase compared to the group (pre-test) with a difference of 4.21, resulting in a p-value of 0.002. Therefore, the decision is that the $p\text{-value} < p\text{-alpha} (0.05)$, so it can be concluded that H_0 is rejected and H_a is accepted. This means that there is an influence of nursing care management on the improvement of the centralized information system at IS Makassar Hospital in 2023.

The research successfully proved that improving the quality of nursing care management can influence the effectiveness of data collection, recording, or utilization within a centralized information system. Thus, these findings can serve as a basis for broader decision-making or policy development to enhance the efficiency and quality of healthcare services.

DISCUSSION

Good knowledge of nursing care management for the improvement of a centralized information system is an essential part of effective and high-quality nursing practice.¹⁰ Accurate and organized data and information management can provide significant benefits to patients, such as helping to monitor patient conditions, identifying health issues that require further intervention, and ensuring that the care provided meets applicable nursing standards.¹¹ Knowledge is the result of a process consisting of four stages: observation, interpretation, evaluation, and communication. Knowledge not only includes information but also the understanding and use of that information in relevant contexts.¹⁸

Better nursing care management can have a significant positive impact on improving patient safety, with more complete and systematic documentation, the risk of medical errors can be minimized, as information is more accurate and can be easily accessed by all healthcare team members.¹⁹ This enables more timely actions that are appropriate to the patient's condition, as well as facilitating better

communication between doctors, nurses, and other medical staff. Moreover, better nursing care management can also reduce confusion among the medical team in decision-making and minimize potential errors in the care process, which in turn will enhance the quality and safety of care.¹⁵

The knowledge possessed by both the intervention group and the control group, based on the level of knowledge, falls into the category of insufficient knowledge.¹⁶ Knowledge is not an absolute truth but is always in a developmental stage and can change along with the progress of science and technology. Therefore, one must always be open to change and update their knowledge to adapt to the changes occurring around them. Knowledge is influenced by both internal and external factors.²⁰ In this study, the internal factors that affect knowledge include age, education, and experience or length of employment.²¹

This is in line with the findings of the research at IS Makassar Hospital, which showed a difference in knowledge scores between the intervention and control groups, with a p-value of 0.002. Knowledge improvement is influenced by many factors, one of which is experience or length of employment. The more experience a nurse has, the more their ability to capture information and think critically develops.²²

The novelty of this study lies in examining the impact of implementing nursing care management on the improvement of a centralized nursing information system in hospitals. This research contributes new insights by linking better nursing care management with the enhancement of the quality and accuracy of information within the centralized nursing information system, while also identifying factors that influence the improvement of nurses' knowledge and skills. Additionally, the study explores practical challenges in the implementation of nursing care management, such as hospital infrastructure issues, resource limitations, and resistance from medical staff, and proposes practical solutions such as continuous training and management support to overcome these barriers. Therefore, this study provides a comprehensive perspective on the impact of nursing care management on the improvement of centralized nursing information systems, which can be applied in other hospitals to enhance healthcare service quality through information technology.

However, there are some potential limitations in this study that need to be considered.¹⁷ The small sample size and the fact that it was conducted in a single hospital may affect the generalizability of the study's findings. Acknowledging these limitations provides a more balanced interpretation of the results, allowing readers to consider the context and limitations when evaluating the impact of the intervention.

In addition, challenges in implementing nursing care management in other hospitals need to be addressed. Possible barriers, such as differences in hospital infrastructure, resource limitations, or resistance from medical staff to procedural changes, should be taken into account.²³ Proposed solutions include continuous training for healthcare staff, increased support from hospital management, and integrating nursing care management into existing hospital information systems. This would make the discussion more relevant to healthcare administrators and policymakers who need to consider these factors when expanding the implementation of nursing care management in other healthcare facilities.²⁴

CONCLUSION

The implementation of nursing care management has greatly improved the efficiency and effectiveness of a centralized nursing information system. This system has streamlined the management of patient information, enhanced communication among healthcare providers, and reduced the likelihood of errors. As a result, the overall quality of nursing care has improved, leading to better patient outcomes and increased satisfaction among both patients and healthcare professionals.

Recommendation to sustain these improvements, it is essential to provide ongoing training for nursing staff to fully utilize the system's capabilities. Additionally, regular updates and customization of the system should be carried out to meet the changing needs of the healthcare environment. Strengthening collaboration between nursing and IT teams will further ensure the system's effectiveness in supporting high-quality nursing care.

ACKNOWLEDGEMENTS

This research was financially supported by Universitas Muslim Indonesia through its research department. We explicitly state that the funding department had no involvement in the design, execution, analysis, interpretation, or preparation of the manuscript. This disclosure reinforces the independence and credibility of the research, ensuring transparency regarding the financial support received for this study.

REFERENCES

1. Hong WHS, Lundeen SP. Using ACHIS to analyze nursing health promotion interventions for vulnerable populations in a community nursing center: A pilot study. *Asian Nurs Res (Korean Soc Nurs Sci)* [Internet]. 2019;3(3):130–8. Tersedia pada: [http://dx.doi.org/10.1016/S1976-1317\(09\)60024-4](http://dx.doi.org/10.1016/S1976-1317(09)60024-4)
2. Ryu JI, Kim K. The influence of nursing care integration services on nurses' work satisfaction and quality of nursing care. *J Nurs Manag*. 2019;26(8):1024–32.
3. Siokal B. Effectiveness of Computer-Based Nursing Documentation in Nursing Care Hospital – A Literature Review. 2021;2(2):6. Tersedia pada: <https://pasca-umi.ac.id/index.php/jmch/article/view/502>
4. Strauss B. The Patient Perception of the Nurse-Patient Relationship When Nurses Utilize an Electronic Health Record Within a Hospital Setting. *CIN - Comput Informatics Nurs*. 2019;31(12):596–604.
5. Taylor DN. A Literature Review of Electronic Health Records in Chiropractic Practice : Common Challenges and Solutions. *J Chiropr Humanit* [Internet]. 2019;24(1):31–40. Tersedia pada: <https://doi.org/10.1016/j.echu.2016.12.001>
6. Tubaishat A. Perceived usefulness and perceived ease of use of electronic health records among nurses: Application of Technology Acceptance Model. *Informatics Heal Soc Care*. 2019;43(4):379–89.
7. Wang N, Yu P, Hailey D. Description and comparison of quality of electronic versus paper-based resident admission forms in Australian aged care facilities. *Int J Med Inform* [Internet]. 2019;82(5):313–24. Tersedia pada: <http://dx.doi.org/10.1016/j.ijmedinf.2012.11.011>
8. Zadvinskis IM, Chipps E, Yen P yin. Exploring nurses ' confirmed expectations regarding health IT : A phenomenological study. *Int J Med Inform* [Internet]. 2019;83(2):89–98. Tersedia pada: <http://dx.doi.org/10.1016/j.ijmedinf.2013.11.001>
9. Vabo G, Science N, Science N, Fossum M, Science N, Science N, et al. Participants' perceptions of an intervention implemented in an Action Research Nursing Documentation Project. *Nurs Clin NA*. 2019;(4604).
10. Siokal B, Amiruddin R, Abdullah T, Thamrin Y, Syam Y, Palutturi S, et al. Improving the Quality of Assessment and Diagnosis in Nursing Care: A Literature Review. *Pharmacogn J*. 2023;15(4):703–6.
11. Siokal B, Wahyuningsih. Potensi Profesional Kesehatan Dalam Menjalankan Interprofessional Collaboration Practice Di Rumah Sakit Universitas Hasanuddin. *Bina Gener J Kesehat*. 2019;11(1):13–20.
12. Siokal B, Amiruddin R, Abdullah T, Thamrin Y, Palutturi S, Ibrahim E, et al. The Influence of Effective Nurse Communication Application on Patient Satisfaction: A Literature Review. *Pharmacogn J*. 2023;15(3):479–83.
13. Moy AJ, Schwartz JM, Chen RJ, Sadri S, Lucas E, Cato KD, et al. Measurement of clinical documentation burden among physicians and nurses using electronic health records: a scoping review. *J Am Med Informatics Assoc*. 2021;28(5):998–1008.
14. Ranjbar K, Sabetsarvestani R, Oghlaee H, Sarvestani PS, Dehghan A, Shirazi ZH. Using Electronic Software for Nursing Documentation in Nursing Students. *Florence Nightingale J Nurs*. 2021;29(2):128–36.
15. Shafiee M, Shanbehzadeh M, Nassari Z, Kazemi-Arpanahi H. Development and evaluation of an electronic nursing documentation system. *BMC Nurs*. 2022;21(1):1–12.


16. Reynolds SS, Woltz P, Keating E, Neff J, Elliott J, Hatch D, et al. Results of the CHlorhexidine Gluconate Bathing implementation intervention to improve evidence-based nursing practices for prevention of central line associated bloodstream infections Study (CHanGing BathS): a stepped wedge cluster randomized trial. *Implement Sci.* 2021;16(1):1–16.
17. Moldskred PS, Snibsoer AK, Espehaug B. Improving the quality of nursing documentation at a residential care home: a clinical audit. *BMC Nurs.* 2021;20(1):1–7.
18. Marci Holub. Decreasing the Nursing Documentation Burden During the Covid-19 Surge. *Nurseleader.* 2020;(January).
19. Lindsay MR, Lytle K. Implementing Best Practices to Redesign Workflow and Optimize Nursing Documentation in the Electronic Health Record. *Appl Clin Inform.* 2022;13(3):711–9.
20. Wahyuningsih W, Bukhari A, Juliaty A, Erika KA, Pamungkas RA, Siokal B, et al. Stunting Prevention and Control Program to Reduce the Prevalence of Stunting: Systematic Review Study. *Open Access Maced J Med Sci.* 2022;10(F):190–200.
21. Kodama K, Konishi S, Manabe S, Okada K, Yamaguchi J, Wada S, et al. Impact of an Electronic Medical Record–Connected Questionnaire on Efficient Nursing Documentation: Usability and Efficacy Study. *JMIR Nurs.* 2023;6(1):1–14.
22. Kleib M, Jackman D, Wisnesky UD, Ali S. Academic Electronic Health Records in Undergraduate Nursing Education: Mixed Methods Pilot Study. *JMIR Nurs.* 2021;4(2):1–14.
23. Gesner E, Dykes PC, Zhang L, Gazarian P. Documentation Burden in Nursing and Its Role in Clinician Burnout Syndrome. *Appl Clin Inform.* 2022;13(5):983–90.
24. Kernebeck S, Busse TS, Jux C, Dreier LA, Meyer D, Zenz D, et al. Evaluation of an Electronic Medical Record Module for Nursing Documentation in Paediatric Palliative Care: Involvement of Nurses with a Think-Aloud Approach. *Int J Environ Res Public Health.* 2022;19(6)

14 November 2024

Penyampaian hasil keputusan editor

Setelah melalui serangkaian proses yang panjang dan penuh tantangan, pada **tanggal 14 November 2024**, penulis akhirnya menerima hasil keputusan dari editor terkait artikel yang telah direvisi beberapa kali. Keputusan ini menjadi puncak dari perjalanan panjang yang dimulai sejak proses submission awal, berlanjut ke tahapan review, perbaikan substansi dan teknis, hingga revisi lanjutan berdasarkan saran reviewer dan editor. Akhirnya muncul notifikasi dengan kata kunci yang ditunggu-tunggu: "**accept submission.**"

Dalam keputusan tersebut, editor menyatakan bahwa artikel dinyatakan diterima untuk diterbitkan, kabar yang sangat membahagiakan dan melegakan. Keputusan ini bukan hanya menjadi bentuk penghargaan atas kerja keras dan ketekunan dalam menyempurnakan naskah, tetapi juga menjadi bukti bahwa proses ilmiah yang dijalani dengan sungguh-sungguh akan berbuah manis.



10	16 November 2024	Cek status paper di OJS (copy editing)
11	23 November 2024	Pemberitahuan proses proofreading paper oleh pengelola jurnal
12	25 November 2024	Pemberitahuan Proses Editing paper oleh pengelola jurnal
13	27 November 2024	Pemberitahuan Proses Layout paper oleh pengelola jurnal
14	28 November 2024	Pemberitahuan proses telah complete
15	30 November 2024	Pemberitahuan artikel telah publish

Pada tanggal **16 November 2024**, penulis melakukan pengecekan status naskah melalui platform OJS dan mendapati bahwa artikel telah memasuki tahap *copy editing*. Ini menandakan bahwa naskah sudah melewati proses review dan tengah dipersiapkan untuk tahapan akhir sebelum publikasi.

Kemudian, pada **23 November 2024**, pengelola jurnal memberikan pemberitahuan bahwa artikel sedang menjalani proses *proofreading*, yaitu pengecekan akhir terhadap ejaan, tata bahasa, dan konsistensi format naskah.

Selang dua hari kemudian, pada **25 November 2024**, penulis menerima pemberitahuan lanjutan dari pengelola jurnal mengenai dimulainya proses *editing* artikel. Proses ini mencakup penyempurnaan bahasa serta penyesuaian gaya penulisan agar sesuai dengan standar jurnal.

Berikutnya, pada **27 November 2024**, artikel masuk ke tahap *layout*, di mana naskah ditata dalam format publikasi jurnal secara profesional.

Pada **28 November 2024**, penulis menerima notifikasi bahwa seluruh proses produksi artikel telah selesai atau *complete*, menandakan bahwa artikel telah siap untuk dipublikasikan.

Akhirnya, pada **30 November 2024**, pengelola jurnal secara resmi menginformasikan bahwa artikel telah berhasil dipublikasikan dan dapat diakses oleh publik.

The Impact of Nursing Care Management Implementation on the Improvement of a Centralized Nursing Information System

Brajakson Siokal^{1*}, Wahyuningsih², Ahmad Yani³

¹Universitas Muslim Indonesia, South Sulawesi, Indonesia

²Universitas Patria Artha, South Sulawesi, Indonesia

³Faculty of Pubic Health, Universitas Muhammadiyah Palu, Central Sulawesi, Indonesia

*Corresponding author: brajakson.siokal@umi.ac.id



ARTICLE INFO

Article History:

Received: 2024-09-11

Published: 2024-11-30

Keywords:

nursing care; intervention;
nursing documentation;
outcome

ABSTRACT

Nursing care management improves the centralized nursing information system by ensuring accurate documentation, efficient workflows, and better technology training, as well as supporting clinical decision-making with quality data. This study aims to assess the impact of nursing care management implementation on the improvement of the centralized nursing information system at IS Makassar Hospital in 2023. A quasi-experimental design with pretest and posttest was used, involving a control group, with a sample size of 110 nurses from 4 inpatient wards participating in the study through total sampling. Data were analyzed using the Wilcoxon test and independent paired t-test. The results showed a significant impact of nursing care management implementation on the centralized nursing information system. The intervention group had a p-value of 0.002, and the difference between the intervention and control groups showed a p-value of 0.0002. These findings indicate that structured nursing care management improves nurses' documentation skills and knowledge. It is recommended to explore the optimization of continuous training for nurses in the use of the centralized nursing information system, and to conduct a long-term evaluation of the impact of nursing care management implementation on the quality of documentation.



© 2024 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY SA) license (<https://creativecommons.org/licenses/by-sa/4.0/>).

INTRODUCTION

The advancement of knowledge and information technology has significantly impacted how society interacts with various services, including healthcare services.¹ This has led to a more critical approach to the quality of services provided. As healthcare professionals, nurses are expected to perform good and standardized nursing care management, which includes accurate and complete documentation and reporting.² Proper nursing care management is not only crucial for delivering optimal care but also serves as valid evidence in resolving issues that may arise between patients and nurses. Therefore, nursing care management plays a vital role in improving the overall quality of healthcare services.³

However, research findings on the implementation of nursing care management indicate that there is often incompleteness, particularly regarding diagnosis and nursing interventions. Studies

have shown that the completeness of nursing diagnoses is only 79%, while nursing interventions are documented at only 74%.⁴ This reflects the low quality of nursing care management. Audits of nursing care management have also highlighted issues with disorganized and inadequate record-keeping and reporting systems. A study of 40 medical records revealed that many nurses did not arrange diagnoses and interventions according to established guidelines.⁵ Furthermore, over half of the nurses simply copied diagnoses and interventions from previous records, which tends to compromise the accuracy and quality of the nursing care data. This poor quality of nursing care management has a negative impact on communication between nurses and other healthcare professionals, which can risk patient care outcomes.⁶

Several factors contribute to the low quality of nursing care management, one of which is the lack of clear guidelines for implementing nursing care management according to the established standards.⁷ In addition, issues such as the low nurse-to-patient ratio, limited training opportunities for nurses, and ineffective leadership also play a role in this problem. Therefore, there is a need for efforts to improve nursing care management to enhance the quality of healthcare services.⁸

Effective nursing care management can significantly contribute to the improvement of centralized healthcare information systems in hospitals.⁹ By implementing more systematic nursing care management, the resulting data will be more complete and accurate.¹⁰ This will strengthen the centralized healthcare information system, ultimately improving the efficiency, accuracy, and safety of healthcare services.¹¹ A centralized system relies on accurate and timely data, which can only be achieved through well-organized nursing care management.¹² Thus, implementing effective nursing care management not only impacts the quality of care provided but also contributes to the enhancement of the centralized information system that supports better clinical decision-making.¹³

The implementation of nursing care management has significant implications, particularly in optimizing patient outcomes and operational efficiency within healthcare systems. It fosters improved coordination among healthcare teams, enhances the accuracy and timeliness of clinical decision-making through centralized information systems, and reduces the risk of medical errors. Additionally, this approach supports evidence-based practices, ensuring that patient care aligns with the latest standards and guidelines, ultimately leading to increased patient satisfaction and trust in healthcare services.¹⁴

Based on these factors, this research aims to investigate the impact of nursing care management on the improvement of centralized healthcare information systems at RS IS Makassar. The study is expected to provide insights into how the implementation of good nursing care management can improve the quality of healthcare information systems, which in turn will contribute to the enhancement of healthcare service quality at the hospital.

METHODS

The research method used is a quasi-experimental design with pre-test and post-test and a control group design. This study was conducted in four inpatient wards at IS Makassar Hospital, namely AS and FR wards for the intervention group, and AR and MN wards for the control group. IS Makassar Hospital was selected because it has complete facilities and is a referral hospital in Eastern Indonesia, which has implemented a centralized nursing information system. The hospital also has many nurses with diverse backgrounds and experiences, providing insight into the implementation of nursing care management in a hospital setting that is constantly updated by all its nurses. All nurses in the four wards at IS Makassar Hospital were selected as research subjects. The sampling technique used was total sampling, involving 110 nurses, who were divided into two groups: 55 nurses in the intervention group and 55 nurses in the control group. The characteristics of the research subjects included varying levels of experience and qualifications, with work experience ranging from 1 to 10 years, and educational qualifications including nurses

with a D3, Bachelor's degree in Nursing, and several of them having attended specialized training related to nursing care management. The instrument used was a questionnaire measuring knowledge about nursing care management and documentation quality, which had been validated by experts. Data were analyzed using the Wilcoxon test and independent paired t-test, with normality and homogeneity tests conducted beforehand.

This study has received ethical approval from the health research ethics committee (No. RK.156/KEPK/STIK/II/2024), and all participants were informed about the purpose, procedure, and their rights and provided written consent to participate. The data obtained were kept confidential and were used solely for research purposes. The instrument used was a knowledge questionnaire containing material related to nursing care management and the centralized nursing information system. Data were analyzed using the non-parametric Wilcoxon test and independent paired t-test. This research was conducted from September 24, 2022, to January 24, 2023, in the AS Inpatient Ward at IS Makassar Hospital for the intervention group and the AR Inpatient Ward at IS Makassar Hospital for the control group.

RESULTS

Based on Table 1, most respondents were female (56.4%) compared to males (43.6%), with a balanced distribution between the intervention and control groups. Most respondents were aged 31–40 years (39.1%), followed by those aged >40 years (30.9%) and ≤30 years (30.0%). In terms of education, the majority held a Bachelor's degree (60%), followed by those with a Diploma (28.2%) and a Master's degree (11.8%). Regarding work experience, most respondents had 6–10 years of experience (49.1%), while those with ≤5 years and >10 years accounted for 24.5% and 26.4%, respectively. These percentages reflect a balanced and relevant respondent profile to support the validity of the study.

Table 1. Description of Characteristic Respondent

Variables	Intervention		Control		Total	
	(n=55)	%	(n=55)	%	n	%
Gender						
Male	26	47.3	22	40.0	48	43.6
Female	29	52.7	33	60.0	62	56.4
Age (years)						
≤ 30	17	30.9	16	29.1	33	30.0
31–40	18	32.7	25	45.5	43	39.1
> 40	20	36.4	14	25.5	34	30.9
Education Level						
Diploma	16	29.1	15	27.3	31	28.2
Bachelor's Degree	30	54.5	36	65.5	66	60.0
Master's Degree	9	16.4	4	7.3	13	11.8
Work Experience (years)						
≤ 5 years	14	25.5	13	23.6	27	24.5
6–10 years	26	47.3	28	50.9	54	49.1
> 10 years	15	27.3	14	25.5	29	26.4

Based on table 2, the pre-test results for both groups, namely the intervention group and the control group, show relatively balanced average knowledge scores, at 21.41 and 21.86, respectively. This indicates that, prior to the nursing care management intervention, the baseline knowledge level between the two groups was almost identical. The slight difference in standard deviation, with a value of 1.652 in the intervention group and 2.541 in the control group, suggests that knowledge distribution was more consistent in the intervention group compared to the control group, which had a wider range of scores.

Table 2. Description of nurses' knowledge in compiling in nursing care management implementation

Descriptive Data	N	Min	Max	Mean	Median	Std. Deviation
Intervention group (Pre-Test)	55	18	24	21.41	22.20	1.652
Control group (Pre-Test)	55	18	26	21.86	21.20	2.541

This data is important for the research topic, as it demonstrates that both groups had comparable baseline knowledge levels. This ensures that comparing changes in knowledge levels after the intervention will provide a more accurate evaluation of the effect of nursing care management on the improvement of a centralized information system. Thus, the study results assess whether the intervention has a significant impact on the knowledge needed to strengthen the centralized information system in nursing.

Table 3. Description of nurses' knowledge in preparing nursing care management implementation

Descriptive Data	N	Min	Max	Mean	Median	Std. Deviation
Intervention group (Post-Test)	55	22	32	25.62	25.10	2.522
Control group (Post-Test)	55	20	26	21.50	21.13	2.811

Based on Table 3, the post-test results show that the 20 respondents' intervention group achieved an average knowledge score of 25.62 with a median of 25.10, a minimum score of 22, and a maximum score of 32. The standard deviation of 2.522 indicates that the distribution of knowledge scores in the intervention group was relatively consistent. Meanwhile, the control group, also consisting of 20 respondents, had an average score of 21.50 with a median of 21.13, a minimum score of 20, and a maximum score of 26, with a standard deviation of 2.811, indicating slightly greater variation in their knowledge distribution.

The interpretation of these values shows that, after the nursing care management intervention, there was a significant increase in knowledge in the intervention group compared to the control group, which did not receive the intervention. The higher average score in the intervention group demonstrates that nursing care management effectively improved understanding related to the centralized information system among nurses. The lower standard deviation in the intervention group also indicates that this increase in knowledge was more evenly distributed, reflecting better consistency in understanding after the intervention.

Table 4. The impact of nursing care management implementation on the improvement of a centralized nursing information system

Data	N	Mean	Mean difference	p value
Intervention group (Pre-Test)	55	21.41		
Control group (Post Test)	55	25.62	4.21	0.002

Based on Table 4 above, the mean value in the intervention group (post-test) showed an increase compared to the group (pre-test) with a difference of 4.21, resulting in a p-value of 0.002. Therefore, the decision is that the $p\text{-value} < p\text{-alpha}$ (0.05), so it can be concluded that H_0 is rejected and H_a is accepted. This means that there is an influence of nursing care management on the improvement of the centralized information system at IS Makassar Hospital in 2023.

The research successfully proved that improving the quality of nursing care management can influence the effectiveness of data collection, recording, or utilization within a centralized

information system. Thus, these findings can serve as a basis for broader decision-making or policy development to enhance the efficiency and quality of healthcare services.

DISCUSSION

Good knowledge of nursing care management for the improvement of a centralized information system is an essential part of effective and high-quality nursing practice.¹⁰ Accurate and organized data and information management can provide significant benefits to patients, such as helping to monitor patient conditions, identifying health issues that require further intervention, and ensuring that the care provided meets applicable nursing standards.¹¹ Knowledge is the result of a process consisting of four stages: observation, interpretation, evaluation, and communication. Knowledge not only includes information but also the understanding and use of that information in relevant contexts.¹⁸

Better nursing care management can have a significant positive impact on improving patient safety, with more complete and systematic documentation, the risk of medical errors can be minimized, as information is more accurate and can be easily accessed by all healthcare team members.¹⁹ This enables more timely actions that are appropriate to the patient's condition, as well as facilitating better communication between doctors, nurses, and other medical staff. Moreover, better nursing care management can also reduce confusion among the medical team in decision-making and minimize potential errors in the care process, which in turn will enhance the quality and safety of care.¹⁵

The knowledge possessed by both the intervention group and the control group, based on the level of knowledge, falls into the category of insufficient knowledge.¹⁶ Knowledge is not an absolute truth but is always in a developmental stage and can change along with the progress of science and technology. Therefore, one must always be open to change and update their knowledge to adapt to the changes occurring around them. Knowledge is influenced by both internal and external factors.²⁰ In this study, the internal factors that affect knowledge include age, education, and experience or length of employment.²¹

This is in line with the findings of the research at IS Makassar Hospital, which showed a difference in knowledge scores between the intervention and control groups, with a p-value of 0.002. Knowledge improvement is influenced by many factors, one of which is experience or length of employment. The more experience a nurse has, the more their ability to capture information and think critically develops.²²

The novelty of this study lies in examining the impact of implementing nursing care management on the improvement of a centralized nursing information system in hospitals. This research contributes new insights by linking better nursing care management with the enhancement of the quality and accuracy of information within the centralized nursing information system, while also identifying factors that influence the improvement of nurses' knowledge and skills. Additionally, the study explores practical challenges in the implementation of nursing care management, such as hospital infrastructure issues, resource limitations, and resistance from medical staff, and proposes practical solutions such as continuous training and management support to overcome these barriers. Therefore, this study provides a comprehensive perspective on the impact of nursing care management on the improvement of centralized nursing information systems, which can be applied in other hospitals to enhance healthcare service quality through information technology.

However, there are some potential limitations in this study that need to be considered.¹⁷ The small sample size and the fact that it was conducted in a single hospital may affect the generalizability of the study's findings. Acknowledging these limitations provides a more balanced interpretation of the results, allowing readers to consider the context and limitations when evaluating the impact of the intervention.

In addition, challenges in implementing nursing care management in other hospitals need to

be addressed. Possible barriers, such as differences in hospital infrastructure, resource limitations, or resistance from medical staff to procedural changes, should be taken into account.²³ Proposed solutions include continuous training for healthcare staff, increased support from hospital management, and integrating nursing care management into existing hospital information systems. This would make the discussion more relevant to healthcare administrators and policymakers who need to consider these factors when expanding the implementation of nursing care management in other healthcare facilities.²⁴

CONCLUSION

The implementation of nursing care management has greatly improved the efficiency and effectiveness of a centralized nursing information system. This system has streamlined the management of patient information, enhanced communication among healthcare providers, and reduced the likelihood of errors. As a result, the overall quality of nursing care has improved, leading to better patient outcomes and increased satisfaction among both patients and healthcare professionals.

Recommendation to sustain these improvements, it is essential to provide ongoing training for nursing staff to fully utilize the system's capabilities. Additionally, regular updates and customization of the system should be carried out to meet the changing needs of the healthcare environment. Strengthening collaboration between nursing and IT teams will further ensure the system's effectiveness in supporting high-quality nursing care.

Acknowledgements: This research was financially supported by Universitas Muslim Indonesia through its research department. We explicitly state that the funding department had no involvement in the design, execution, analysis, interpretation, or preparation of the manuscript. This disclosure reinforces the independence and credibility of the research, ensuring transparency regarding the financial support received for this study.

REFERENCES

1. Hong WHS, Lundeen SP. Using ACHIS to analyze nursing health promotion interventions for vulnerable populations in a community nursing center: A pilot study. *Asian Nurs Res (Korean Soc Nurs Sci)* [Internet]. 2019;3(3):130–8. Tersedia pada: [http://dx.doi.org/10.1016/S1976-1317\(09\)60024-4](http://dx.doi.org/10.1016/S1976-1317(09)60024-4)
2. Ryu JI, Kim K. The influence of nursing care integration services on nurses' work satisfaction and quality of nursing care. *J Nurs Manag*. 2019;26(8):1024–32.
3. Siokal B. Effectiveness of Computer-Based Nursing Documentation in Nursing Care Hospital – A Literature Review. 2021;2(2):6. Tersedia pada: <https://pasca-umi.ac.id/index.php/jmch/article/view/502>
4. Strauss B. The Patient Perception of the Nurse-Patient Relationship When Nurses Utilize an Electronic Health Record Within a Hospital Setting. *CIN - Comput Informatics Nurs*. 2019;31(12):596–604.
5. Taylor DN. A Literature Review of Electronic Health Records in Chiropractic Practice: Common Challenges and Solutions. *J Chiropr Humanit* [Internet]. 2019;24(1):31–40. Tersedia pada: <https://doi.org/10.1016/j.echu.2016.12.001>
6. Tubaishat A. Perceived usefulness and perceived ease of use of electronic health records among nurses: Application of Technology Acceptance Model. *Informatics Heal Soc Care*. 2019;43(4):379–89.
7. Wang N, Yu P, Hailey D. Description and comparison of quality of electronic versus paper-based resident admission forms in Australian aged care facilities. *Int J Med Inform* [Internet]. 2019;82(5):313–24. Tersedia pada: <http://dx.doi.org/10.1016/j.ijmedinf.2012.11.011>
8. Zadvinskis IM, Chipps E, Yen P yin. Exploring nurses' confirmed expectations regarding health IT: A phenomenological study. *Int J Med Inform* [Internet]. 2019;83(2):89–98. Tersedia pada: <http://dx.doi.org/10.1016/j.ijmedinf.2013.11.001>
9. Vabo G, Science N, Science N, Fossum M, Science N, Science N, et al. Participants' perceptions of an intervention implemented in an Action Research Nursing Documentation Project. *Nurs Clin NA*. 2019;(4604).

10. Siokal B, Amiruddin R, Abdullah T, Thamrin Y, Syam Y, Palutturi S, et al. Improving the Quality of Assessment and Diagnosis in Nursing Care: A Literature Review. *Pharmacogn J.* 2023;15(4):703–6.
11. Siokal B, Wahyuningsih. Potensi Profesional Kesehatan Dalam Menjalankan Interprofessional Collaboration Practice Di Rumah Sakit Universitas Hasanuddin. *Bina Gener J Kesehat.* 2019;11(1):13–20.
12. Siokal B, Amiruddin R, Abdullah T, Thamrin Y, Palutturi S, Ibrahim E, et al. The Influence of Effective Nurse Communication Application on Patient Satisfaction: A Literature Review. *Pharmacogn J.* 2023;15(3):479–83.
13. Moy AJ, Schwartz JM, Chen RJ, Sadri S, Lucas E, Cato KD, et al. Measurement of clinical documentation burden among physicians and nurses using electronic health records: a scoping review. *J Am Med Informatics Assoc.* 2021;28(5):998–1008.
14. Ranjbar K, Sabetsarvestani R, Oghlaee H, Sarvestani PS, Dehghan A, Shirazi ZH. Using Electronic Software for Nursing Documentation in Nursing Students. *Florence Nightingale J Nurs.* 2021;29(2):128–36.
15. Shafiee M, Shanbehzadeh M, Nassari Z, Kazemi-Arpanahi H. Development and evaluation of an electronic nursing documentation system. *BMC Nurs.* 2022;21(1):1–12.
16. Reynolds SS, Woltz P, Keating E, Neff J, Elliott J, Hatch D, et al. Results of the CHlorhexidine Gluconate Bathing implementation intervention to improve evidence-based nursing practices for prevention of central line associated bloodstream infections Study (CHanGing BathS): a stepped wedge cluster randomized trial. *Implement Sci.* 2021;16(1):1–16.
17. Moldskred PS, Snibsoer AK, Espehaug B. Improving the quality of nursing documentation at a residential care home: a clinical audit. *BMC Nurs.* 2021;20(1):1–7.
18. Marci Holub. Decreasing the Nursing Documentation Burden During the Covid-19 Surge. *Nurseleader.* 2020;(January).
19. Lindsay MR, Lytle K. Implementing Best Practices to Redesign Workflow and Optimize Nursing Documentation in the Electronic Health Record. *Appl Clin Inform.* 2022;13(3):711–9.
20. Wahyuningsih W, Bukhari A, Juliaty A, Erika KA, Pamungkas RA, Siokal B, et al. Stunting Prevention and Control Program to Reduce the Prevalence of Stunting: Systematic Review Study. *Open Access Maced J Med Sci.* 2022;10(F):190–200.
21. Kodama K, Konishi S, Manabe S, Okada K, Yamaguchi J, Wada S, et al. Impact of an Electronic Medical Record-Connected Questionnaire on Efficient Nursing Documentation: Usability and Efficacy Study. *JMIR Nurs.* 2023;6(1):1–14.
22. Kleib M, Jackman D, Wisnesky UD, Ali S. Academic Electronic Health Records in Undergraduate Nursing Education: Mixed Methods Pilot Study. *JMIR Nurs.* 2021;4(2):1–14.
23. Gesner E, Dykes PC, Zhang L, Gazarian P. Documentation Burden in Nursing and Its Role in Clinician Burnout Syndrome. *Appl Clin Inform.* 2022;13(5):983–90.
24. Kernebeck S, Busse TS, Jux C, Dreier LA, Meyer D, Zenz D, et al. Evaluation of an Electronic Medical Record Module for Nursing Documentation in Paediatric Palliative Care: Involvement of Nurses with a Think-Aloud Approach. *Int J Environ Res Public Health.* 2022;19(6).