

# Turnitin umi

## Expert System for Diagnosing Diseases in Catfish Using Android-Based Bayesian Probability Method

 05 Januari 2025 (03)

 UMI 2025

 Universitas Muslim Indonesia

---

### Document Details

Submission ID

trn:oid::1:3452782140

Submission Date

Jan 5, 2026, 11:40 AM GMT+8

Download Date

Jan 5, 2026, 11:43 AM GMT+8

File Name

6\_expert.pdf

File Size

838.6 KB

15 Pages

4,934 Words

24,681 Characters

# 8% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

## Filtered from the Report

- Bibliography
- Quoted Text
- Cited Text
- Small Matches (less than 10 words)

## Exclusions

- 4 Excluded Sources

## Match Groups

-  **14 Not Cited or Quoted 8%**  
Matches with neither in-text citation nor quotation marks
-  **0 Missing Quotations 0%**  
Matches that are still very similar to source material
-  **0 Missing Citation 0%**  
Matches that have quotation marks, but no in-text citation
-  **0 Cited and Quoted 0%**  
Matches with in-text citation present, but no quotation marks

## Top Sources

- 7%  Internet sources
- 3%  Publications
- 4%  Submitted works (Student Papers)

## Integrity Flags

### 1 Integrity Flag for Review

-  **Hidden Text**  
25 suspect characters on 15 pages  
Text is altered to blend into the white background of the document.

Our system's algorithms look deeply at a document for any inconsistencies that would set it apart from a normal submission. If we notice something strange, we flag it for you to review.

A Flag is not necessarily an indicator of a problem. However, we'd recommend you focus your attention there for further review.

## Match Groups

- 14 Not Cited or Quoted 8%**  
Matches with neither in-text citation nor quotation marks
- 0 Missing Quotations 0%**  
Matches that are still very similar to source material
- 0 Missing Citation 0%**  
Matches that have quotation marks, but no in-text citation
- 0 Cited and Quoted 0%**  
Matches with in-text citation present, but no quotation marks

## Top Sources

- 7% Internet sources
- 3% Publications
- 4% Submitted works (Student Papers)

## Top Sources

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

|    |                                                                                    |  |     |
|----|------------------------------------------------------------------------------------|--|-----|
| 1  | Student papers                                                                     |  |     |
|    | Jerusalem Multidisciplinary College                                                |  | 2%  |
| 2  | Internet                                                                           |  |     |
|    | garuda.kemdikbud.go.id                                                             |  | 2%  |
| 3  | Internet                                                                           |  |     |
|    | www.world-today-news.com                                                           |  | <1% |
| 4  | Internet                                                                           |  |     |
|    | 123dok.com                                                                         |  | <1% |
| 5  | Internet                                                                           |  |     |
|    | jcsitech-upiypk.org                                                                |  | <1% |
| 6  | Internet                                                                           |  |     |
|    | psasir.upm.edu.my                                                                  |  | <1% |
| 7  | Publication                                                                        |  |     |
|    | Dominic W. Massaro, Michael M. Cohen. "Perception of Synthesized Audible and V...  |  | <1% |
| 8  | Publication                                                                        |  |     |
|    | Devi Astri Nawangnugraeni, R. Rizal Isnanto, Oky Dwi Nurhayati. "Android Based ... |  | <1% |
| 9  | Publication                                                                        |  |     |
|    | Wisnu Uriawan, Aldy Rialdy Atmadja, Mohamad Irfan, Ichsan Taufik, Nur Jati Luh...  |  | <1% |
| 10 | Publication                                                                        |  |     |
|    | Volodymyr Mirnenko, Oleksandr Mishkov, Anatolii Balanda, Vasiliy Nadraga, Olek...  |  | <1% |

11

Internet

text-id.123dok.com <1%

---

12

Internet

bios.sinergis.org <1%

6

**Asian Journal of Social Science and Management Technology****ISSN: 2313-7410****Volume 6, Issue 5, September-October, 2024****Available at [www.ajssmt.com](http://www.ajssmt.com)**

# Expert System for Diagnosing Diseases in Catfish Using Android-Based Bayesian Probability Method

**Ihwana As'ad<sup>1</sup>, Sugiarti<sup>2</sup>, Muhammad Ikhsan Wamnebo<sup>3</sup>, Selviany<sup>4</sup>***Universitas Muslim Indonesian, Jalan Urip Sumoharjo, Makassar, 90231, Indonesia***Abstract:**

In general, many catfish farmers do not know about the diseases that attack their fish. Apart from their lack of knowledge, the difficulty of obtaining consultations with experts in this field is also one of the causes. This condition makes farmers ignore the diseases found in these fish. Based on the existing problems, research was carried out to build an expert system which aims to diagnose catfish disease and treat it early based on the symptoms suffered using the Bayesian probability method. The search technique used is based on an inference engine, namely Forward Chaining, to trace evidence inputted by the user in determining the type of disease in catfish. By achieving an accuracy level of 95%, this expert system can be implemented to draw conclusions based on expert knowledge. Black box testing uses 3 aspects, namely interface 87.2%, performance 86.6%, and initialization/termination 88% resulting in an overall accuracy of 87.2% from 30 respondents who are included in the assessment criteria as strongly agree.

**Keyword:** catfish farmers, diseases, Forward Chaining.

## 1. Introduction

Fish are creatures that live and reproduce in water and breathe using gills [1]. There are different types of farming depending on the type of fish, including freshwater farming and seawater farming. Freshwater cultivation itself is experiencing an increase in demand relative to the current average demand [2]. There are thousands of species of freshwater fish in the world, each with unique and diverse characteristics. Several types of freshwater fish that are commonly found are goldfish, catfish, gourami, tilapia, betta, arowana, catfish, baung and tilapia [3].

Catfish is one of the freshwater fish that is very common and is in demand by the public. There is a lot of public interest in catfish, so it is not uncommon for people to cultivate catfish, from small home ponds to large farmers. Catfish cultivation must be carried out with maximum care to obtain maximum profits. But in cultivating catfish there are definitely problems in the cultivation process, one of which is the disease factor [4].

In general, there are two groups of fish diseases, the first is infectious diseases caused by pathogenic organisms. Second, non-infectious diseases that are influenced by environmental problems, nutritional deficiencies, or genetic abnormalities [5]. The symptoms and indicators of this disease are very little known by farmers, so they often ignore this fish disease. Many fish farmers immediately throw away dead fish [2]. For this reason, quick countermeasures are needed to avoid this [6].

Based on the results of discussions with Mr. Dr. Ir. Muhammad Ikhsan Wamnebo, S.Pi., M.Si. as an expert who studies fisheries, said there are 4 types of catfish diseases that are rarely found in cultivation, namely *Gyrodactylus* sp., *Ichthyophthirius multifiliis*, *Mycobacteriosis*, *Aeromonas hydrophila*. The Ministry of Maritime

2

3

1

1

**Asian Journal of Social Science and Management Technology**

Affairs and Fisheries (KKP) noted that catfish production in Indonesia will reach 1.12 million tons with a value of IDR 22.24 trillion in 2022. The volume is up 5.03% compared to the previous year which reached 1.07 tons worth IDR 18.94 trillion. Problems that are often experienced in cultivating catfish are the emergence of disease and death of fish. Disease disorders in fish farming are a biological risk that must always be anticipated.

Farmers need experts or experts especially to diagnose catfish diseases but it is not easy to bring in experts. Apart from being considered to require quite large costs, it must be addressed as quickly as possible in terms of time to minimize losses. Therefore, there is a need for a system that can help fish farmers understand fish diseases and also how to prevent and treat them. So an expert system can be a solution to solve this problem, because it is computerized and can solve certain problems by resembling the work of experts [7] [2].

The forward chaining method is a search technique that starts with facts and then matches facts or statements starting with IF (if) to test hypotheses [6]. Based on related research which applied the conclusion drawing method using forward chaining to develop an expert system for diagnosing betta fish disease, it resulted in an accuracy rate of 83.3% of the test results of the system functioning as expected [8]. In the process of determining hypothesis results from evidence, mathematical calculation methods can be applied which can produce accuracy values.

With the expert system that will be designed, it can later be used as a service to assist in diagnosis based on the symptoms present in catfish, so that the disease experienced by catfish can be identified quickly and accurately by applying the Bayesian probability method.

The Bayesian probability method is a method used to measure uncertainty values using information and data in the form of probabilities for each alternative faced and will produce values that are the basis for decision making [2]. Research related to the application of the Bayesian method was used to diagnose tilapia disease very well with an accuracy rate of 95.24% based on symptoms and test results [9].

Based on the problems above, the author conducted research with the title "Expert System for Diagnosing Diseases in Catfish Using the Android-Based Bayesian Probability Method". With this Android-based application, it is hoped that it can help fish farmers in finding information on symptoms of catfish disease before taking further action with treatment by experts or special veterinarians and early treatment.

## 2. Method

The research stages are as follows:




Figure 1. Research stages

## 1. Knowledge Base

### a. Identification of problems

At this stage the author analyzes the problems that occur in people who want to know the type of catfish disease and treat it early without having to consult directly with an expert or specialist veterinarian.

### b. Knowledge Acquisition

It is a process to gain knowledge about the problems discussed and will be used as a guide in development efforts. This stage includes studies by holding meetings with experts who study fisheries to discuss aspects of the problems often experienced in catfish farming, namely the emergence of disease and fish death.

## 2. Expert Data

This stage involves gathering relevant knowledge and information from experts or experts in the related field. This expert data is used as a basis for building an expert system. Where, the data in question is data on disease, symptoms and treatment.

## 3. Bayesian Probability Method

This method is a statistical approach used to process and analyze expert data that has been collected. The Bayesian Probability Method is useful for calculating the possibility or probability of an event based on available information or data and the next stage is identifying and analyzing the needs needed to build an expert system that is effective and in accordance with the desired goals.

## 4. System analysis required

At this stage, an analysis of the proposed expert system is carried out, including evaluation of the features, functionality, and potential improvements or modifications required.

## 5. System Interface Design

This stage includes designing a user interface that is intuitive and easy to use, so that users can interact with the expert system effectively.

## 6. Implementation

At this stage, the design and design of the expert system that has been created is realized in the form of Java program code or an application that can be run and used.

## 7. Testing

The final stage is system testing using black box testing which has been implemented to ensure that the system functions properly, provides an accurate diagnosis, and meets user needs.

The system research design for the application is as follows:

## 1. System Design

### a. Flowchart




Figure 2. Login Flowchart

Figure 2 is a flowchart that will be carried out when logging in as a cultivator, admin, expert in the catfish expert application.




Figure 3. Cultivator Flowchart

Figure 3 is a cultivator flowchart from the catfish expert application. The menus in the application are the start diagnosis menu, the disease list menu and the application menu.




Figure 4. Admin Login Flowchart

Figure 4 is a flowchart when logging in as admin.




Figure 5. Flowchart for Adding Symptoms

Figure 5 is a flowchart of the process carried out by an admin or expert when they want to add symptom or evidence data.



Figure 6. Flowchart for Adding Diseases

Figure 6 is a flowchart of the process carried out by an admin or expert when they want to add disease data.




Figure 7. Expert Login Flowchart

Figure 7 is a flowchart when logging in as an expert.



Figure 8. Flowchart for Adding Rules

Figure 8 is a flowchart of the process carried out by experts when they want to add rule data.

## b. Use Case Diagrams



|    |     |                                             |
|----|-----|---------------------------------------------|
| 17 | G17 | Spots of whitish color on the flesh         |
| 18 | G18 | Rubbing the body on the surface of the pool |
| 19 | G19 | White coating on the body                   |
| 20 | G20 | No appetite                                 |

(Source: Dr. Ir. Muhammad Ikhsan Wamnebo, S.Pi., M.Si)

### c. Decision Table

The decision table contains 20 pieces of evidence from 4 types of catfish diseases which are used as a reference in making the decision tree.

Table 3. Decision Table

| Symptom code | Nama Evidence                               | Disease code |     |     |     | Score |      |      |      |
|--------------|---------------------------------------------|--------------|-----|-----|-----|-------|------|------|------|
|              |                                             | P01          | P02 | P03 | P04 | P01   | P02  | P03  | P04  |
| G01          | Swelling of the gill lamellae               | √            |     |     |     | 0,89  |      |      |      |
| G02          | Bulging eyes                                |              |     | √   | √   |       |      | 0,89 | 0,67 |
| G03          | Wounds or ulcers on the body                |              |     | √   | √   |       |      | 0,72 | 0,86 |
| G04          | Red patches on the head                     |              |     |     | √   |       |      |      | 0,75 |
| G05          | Paler colored gills                         | √            |     |     | √   | 0,61  |      |      | 0,82 |
| G06          | Bleeding on scales                          |              |     |     | √   |       |      |      | 0,89 |
| G07          | White spots on the surface of the body      |              | √   |     |     |       | 0,78 |      |      |
| G08          | Exfoliation of the skin occurs              |              | √   |     |     |       | 0,72 |      |      |
| G09          | The presence of lumps on the body           |              |     | √   |     |       |      | 0,43 |      |
| G10          | Swim jerking                                | √            |     |     |     | 0,53  |      |      |      |
| G11          | Rapid or abnormal breathing                 |              | √   |     |     |       | 0,84 |      |      |
| G12          | Fish skin looks not clear                   | √            |     |     |     | 0,76  |      |      |      |
| G13          | Gasping or limp                             | √            |     |     |     | 0,79  |      |      |      |
| G14          | Discoloration of the body to darken         |              |     | √   | √   |       |      | 0,76 | 0,56 |
| G15          | Fins swell                                  |              | √   |     |     |       | 0,74 |      |      |
| G16          | Fish become thinner                         | √            |     |     |     | 0,56  |      |      |      |
| G17          | Spots of whitish color on the flesh         |              |     | √   |     |       |      | 0,76 |      |
| G18          | Rubbing the body on the surface of the pool |              | √   |     |     |       | 0,56 |      |      |
| G19          | White coating on the body                   | √            |     |     |     | 0,89  |      |      |      |
| G20          | No appetite                                 | √            | √   | √   | √   | 0,47  | 0,65 | 0,56 | 0,67 |

Information:

P = Disease Name

G = Symptom Name

Table 4. Information on Certainty Values [25]

| Score       | Capacity     |
|-------------|--------------|
| 0 - 0.30    | Sure enough  |
| 0.31 - 0.50 | Possible     |
| 0.51 - 0.70 | Almost Sure  |
| 0.71 - 0.99 | Certain      |
| 1.00        | Very Certain |

d. decision tree




Figure 10. Decision Tree

The diagnosis process is carried out to determine a decision. The system tracks the type of disease with existing evidence based on a decision table. From decision trees that can produce efficient and optimal production rules

- Information:
- = Main evidence for Gyrodactylus sp.
  - = The main evidence for Ichthyophthirius Multifiliis disease
  - = Main evidence for Mycobacteriosis disease
  - = Main evidence for Aeromonas Hydrophila disease
  - = Supporting evidence
  - = Type of disease

e. Production Rules

Production rules are obtained from decision trees that produce rules. By using IF THEN (if then). This statement connects the premise and the conclusion.

Table 5. Production Rules

| Rule | Production rules                                                |
|------|-----------------------------------------------------------------|
| R1   | IF G03 AND G04 AND G06 THEN P04                                 |
| R2   | IF G03 AND G04 AND G06 AND G20 THEN P04                         |
| R3   | IF G03 AND G04 AND G06 AND G20 AND G02 THEN P04                 |
| R4   | IF G03 AND G04 AND G06 AND G20 AND G02 AND G05 THEN P04         |
| R5   | IF G03 AND G04 AND G06 AND G20 AND G02 AND G05 AND G14 THEN P04 |
| R6   | IF G03 AND G09 AND G02 THEN P03                                 |
| R7   | IF G03 AND G09 AND G02 AND G20 THEN P03                         |
| R8   | IF G03 AND G09 AND G02 AND G20 AND G17 THEN P03                 |

|     |                                                                         |
|-----|-------------------------------------------------------------------------|
| R9  | IF G03 AND G09 AND G02 AND G20 AND G17 AND G14 THEN P03                 |
| R10 | IF G01 AND G20 AND G19 THEN P01                                         |
| R11 | IF G01 AND G20 AND G19 AND G12 THEN P01                                 |
| R12 | IF G01 AND G20 AND G19 AND G12 AND G05 THEN P01                         |
| R13 | IF G01 AND G20 AND G19 AND G12 AND G05 AND G13 THEN P01                 |
| R14 | IF G01 AND G20 AND G19 AND G12 AND G05 AND G13 AND G16 THEN P01         |
| R15 | IF G01 AND G20 AND G19 AND G12 AND G05 AND G13 AND G16 AND G10 THEN P01 |
| R16 | IF G20 AND G07 AND G08 THEN P02                                         |
| R17 | IF G20 AND G07 AND G08 AND G15 THEN P02                                 |
| R18 | IF G20 AND G07 AND G08 AND G15 AND G18 THEN P02                         |
| R19 | IF G20 AND G07 AND G08 AND G15 AND G18 AND G11 THEN P02                 |

### 3. Results and Discussion

#### A. Research Results

Research that has been carried out for approximately 5 months has resulted in an Android-based expert system application for diagnosing disease in catfish using the Forward Chaining search technique to trace types of catfish disease from symptoms input by the public or farmers (users). The following is the appearance of an Android-based expert system for diagnosing diseases in catfish that has been created:

#### 1. Display for Users (cultivators)



Figure 11. Main Menu Display

Figure 11 is a display of the main menu page for users. There is a start menu for diagnosis, a list of diseases, and about the application.




Figure 12. Display of Diagnostic Form

Figure 12 is a display of the diagnosis form when the user wants to carry out a diagnosis by selecting symptoms according to what the fish is suffering from.



Figure 13. Display of Diagnostic Results

Figure 13 is a display of diagnosis results based on the symptoms selected by the user.



Figure 14. Disease List Menu Display

Figure 14 displays information related to the types of diseases in catfish that can be detected by the system.

## 2. Display for Admin



Figure 17. Login Page Display



Figure 15. Display of Explanation of Disease Types

Figure 15 is an explanatory display regarding the meaning, symptoms and treatment of each type of disease in catfish.



Figure 16. Application Information Display

Figure 16 is a display of information related to the features in the application.

Figure 17 is the login there is a form that must be filled in with a username and password which functions for secure access.




Figure 18. Main Menu Display

Figure 18 there are 2 menus, namely adding symptoms and a list of diseases.

Figure 19. Display of the Add Symptom Form

Figure 19 is a display to add data on disease symptoms in fish which can be done by the admin.



Figure 20. Disease List Display

Figure 20 displays information regarding the types of diseases in catfish that can be detected by the system.

Figure 21. Display of the Add Disease Form

Figure 21 is a display to add to the list of diseases that can be carried out by the admin.

### 3. Display for Experts

Figure 22. Login Page Display

Figure 22 is the login display in the application, there is a form that must be filled in, namely a username and password which functions for access security.

Figure 23. Main Menu Display

Figure 23 is the expert's main menu display, where the expert can add symptoms and a list of diseases.



Figure 24. Disease List Display

Figure 24 displays information regarding the types of diseases in catfish that can be detected by the system.



Figure 25. Display of the Add Disease Form

Figure 25 is a display to add to the list of diseases that can be treated by experts.




Figure 26. Display of the Add Symptom Form

Figure 26 is a display to add data on disease symptoms in fish that can be carried out by experts.



Figure 27. Appearance of the Add Rule Form

Figure 27 is a display for adding rule data by entering disease codes, symptom codes and probability weight values that have been determined by experts.

## B. Discussion

Knowledge and information are needed in designing expert systems. Knowledge and information is obtained from several sources, namely from experts, in this case Dr. Ir. Muhammad Ikhsan Wamnebo, S.Pi., M.Si and several books and searches for materials that can be used via the internet. This expert system for diagnosing diseases in catfish can help the public or farmers to recognize the disease they are suffering from by looking at the symptoms caused by the disease. In this expert system, researchers use diseases in catfish to show how the expert system works to diagnose the disease based on symptoms. In making decisions or conclusions from this expert system, researchers use the Bayesian probability method to determine the percentage level and use an inference engine to search for types of disease based on symptoms.

### 1. Manual Calculation

The discussion in this research will be manual calculations using the Bayesian probability method to be able to determine the diagnosis of disease based on the symptoms suffered by the fish. The symptom data for catfish that will be tested can be seen in the following table:

Table 6. Data Testing

| Code<br><i>Evidence</i> | Name <i>Evidence</i>          |
|-------------------------|-------------------------------|
| G01                     | Swelling of the gill lamellae |
| G12                     | Fish skin looks not clear     |
| G13                     | Gasping or limp               |
| G16                     | Fish become thinner           |
| G20                     | No appetite                   |

Bayes calculation process using formulas (1) and (2) for catfish disease with the type *Gyrodactylus* sp., the evidence data belonging to this disease are G01, G12, G13, G16 and G20.

$$\begin{aligned}
 P(H_k) &= \frac{P(E|H_k) \times P(H_k)}{\sum_{i=0}^n P(E|H_k)} \\
 &= \frac{G01 + G12 + G13 + G16 + G20}{0,89 + 0,76 + 0,79 + 0,56 + 0,47} \\
 &= \frac{3,47}{3,47} \\
 P(H_1|G1) &= \frac{G1}{\sum_{i=0}^n P(E|H_k)} = \frac{0,89}{3,47} = 0,2565 \\
 P(H_2|G12) &= \frac{G12}{\sum_{i=0}^n P(E|H_k)} = \frac{0,76}{3,47} = 0,2190 \\
 P(H_3|G13) &= \frac{G13}{\sum_{i=0}^n P(E|H_k)} = \frac{0,79}{3,47} = 0,2277 \\
 P(H_4|G16) &= \frac{G16}{\sum_{i=0}^n P(E|H_k)} = \frac{0,56}{3,47} = 0,1614 \\
 P(H_5|G20) &= \frac{G20}{\sum_{i=0}^n P(E|H_k)} = \frac{0,47}{3,47} = 0,1354
 \end{aligned}$$

$$\begin{aligned}
 \sum_{i=0}^n (H_k) * P(E|H_k - n) &= P(H_1) * P(G1|H_1) + P(H_2) * P(G12|H_2) + P(H_3) * P(G13|H_3) + P(H_4) * P(G16|H_4) + \\
 &+ P(H_5) * P(G20|H_5) \\
 &= (0,2565 * 0,89) + (0,2190 * 0,76) + (0,2277 * 0,79) + (0,1614 * 0,56) + (0,1354 * 0,47) \\
 &= 0,7286
 \end{aligned}$$

The next step is to find the value of  $P(H_k|E)$  or the probability that the hypothesis  $H_k$  is true if given evidence  $E$  is as follows:

$$\begin{aligned}
 P(H_k) &= \frac{P(E|H_k) \times P(H_k)}{\sum_{i=0}^n (P(E|H_k) * P(H_k))} \\
 P(H_1|G1) &= \frac{0,89 \times 0,2565}{0,7286} = 0,3133 \\
 P(H_2|G12) &= \frac{0,76 \times 0,2190}{0,7286} = 0,2285 \\
 P(H_3|G13) &= \frac{0,79 \times 0,2277}{0,7286} = 0,2468 \\
 P(H_4|G16) &= \frac{0,56 \times 0,1614}{0,7286} = 0,1240 \\
 P(H_5|G20) &= \frac{0,47 \times 0,1354}{0,7286} = 0,0874
 \end{aligned}$$

Once all the  $P(H_k|E)$  values are known, then add up all the Bayes values using the following formula:

$$\begin{aligned}
 \sum_{i=0}^n \text{bayes} &= \text{bayes 1} + \text{bayes 2} + \text{bayes 3} + \text{bayes 4} + \text{bayes 5} \\
 &= (0,89 * 0,3133) + (0,76 * 0,2285) + (0,79 * 0,2468) + (0,56 * 0,1240) + (0,47 * 0,0874) \\
 &= 0,7580
 \end{aligned}$$

So the results of calculations using the Bayesian probability method concluded that the catfish was diagnosed with *gyrodactylus* sp. with a value of 75.80%.

## 2. Accuracy Testing

Table 7. Accuracy Test Results

| Test Data | Expert diagnosis results     | System diagnostic results           | Information    |
|-----------|------------------------------|-------------------------------------|----------------|
| 1         | Gyrodactylus Sp.             | Gyrodactylus Sp. 75.80%             | Sesuai         |
| 2         | Aeromonas Hydrophila         | Aeromonas Hydrophila 75.99%         | Sesuai         |
| 3         | Ichthyophthirius Multifiliis | Ichthyophthirius Multifiliis 74.83% | In accordancei |
| 4         | Aeromonas Hydrophila         | Aeromonas Hydrophila 67%            | In accordancei |
| 5         | Mycobacteriosis              | Mycobacteriosis 78.39%              | In accordancei |
| 6         | Gyrodactylus Sp.             | Aeromonas Hydrophila 75.99%         | In accordancei |
| 7         | Ichthyophthirius Multifiliis | Ichthyophthirius Multifiliis 74.02% | In accordancei |
| 8         | Mycobacteriosis              | Mycobacteriosis 74.60%              | In accordancei |
| 9         | Aeromonas Hydrophila         | Aeromonas Hydrophila 74.06%         | In accordancei |
| 10        | Gyrodactylus Sp.             | Gyrodactylus Sp. 86.17%             | In accordancei |
| 11        | Aeromonas Hydrophila         | Aeromonas Hydrophila 85.86%         | In accordance  |
| 12        | Aeromonas Hydrophila         | Aeromonas Hydrophila 77.71%         | In accordance  |
| 13        | Ichthyophthirius Multifiliis | Ichthyophthirius Multifiliis 74.02% | In accordance  |
| 14        | Aeromonas Hydrophila         | Aeromonas Hydrophila 75.99%         | In accordance  |
| 15        | Aeromonas Hydrophila         | Aeromonas Hydrophila 81.15%         | In accordance  |
| 16        | Ichthyophthirius Multifiliis | Ichthyophthirius Multifiliis 73.68% | In accordance  |
| 17        | Mycobacteriosis              | Mycobacteriosis 74.39%              | In accordance  |
| 18        | Aeromonas Hydrophila         | Aeromonas Hydrophila 74.06%         | In accordance  |
| 19        | Mycobacteriosis              | Mycobacteriosis 78.39%              | In accordance  |
| 20        | Ichthyophthirius Multifiliis | Ichthyophthirius Multifiliis 68.18% | In accordance  |

In table 9, based on 20 case examples compared with the expert diagnosis results, there is 1 case that is not suitable and 19 cases that are suitable so that it can be calculated using formula (4), as follows:

$$Akurasi = \frac{19}{20} \times 100\% = 95\%$$

After calculating the accuracy using the Bayesian probability method, it can be seen that the accuracy value is 95%.

#### 4. Conclusions and recommendations

Based on the process that has been described, this research has succeeded in creating an Android-based disease expert system application for catfish using forward chaining tracing techniques to trace types of disease based on selected evidence with a success rate of 87.2% which is included in the strongly agree assessment criteria. Based on the results of the accuracy level test by comparing manual calculations, the results of expert system diagnosis using the Bayesian probability method and the results of 20 expert diagnoses, the data obtained was 95% in determining the type of disease in catfish using the Bayesian Probability method.

As a suggestion, the author recommends that knowledge about diseases in catfish be enriched by adding data for the type of disease and its symptoms so that the information available will be wider. Using the knowledge of more than one expert in the system, for the purpose of obtaining more accurate results. It is hoped that this application can be developed using other methods such as the depth first search method, Dempster Shafer, certainty factor.

### Thank-you note

To all parties who have helped in completing the publication of this paper, which the author cannot mention one by one.

## 5. References

- [1] S. Banjarnahor and W. Rista Maya, "Expert System for Diagnosing Diseases in Mujahir Fish Using Bayes' Theorem Method," 2019. [Online]. Available: <https://ojs.trigunadharma.ac.id/>
- [2] N. Evrilyan Rozanda, F. Wardhana, P. Information Systems Studies, F. H. Science and Technology UIN Suska Riau Jl Soebrantas KM, and P. Pekanbaru - Riau, "Mobile-Based Baung Fish Disease Diagnosis Expert System Using Bayes' Theorem," 2022. [Online]. Available: <https://publikasi.kocenin.com>
- [3] H. Prayogo, Y. Arbiastutie, and Y. Yopi, "Diversity of Freshwater Fish Species in the Protected Forest Area of Nanga Salin Hamlet, South Putussibau District, Kapuas Hulu Regency," *J. Hutan Lestari*, vol. Vol. 10(4), pp. 757–771, 2022.
- [4] Y. Ryansyah, K. Lumbanbatu, M. Sihombing, and S. Kaputama Binjai Jln, "Expert System for Diagnosing Diseases in Catfish Using the Certainty Factor Method," *J. Softw. Eng. Comput. Sci. Inf. Technol.*, vol. Volume 3. No:2., pp. 232–239, 2022.
- [5] S. Hasibuan, A. Awaluddin, and Zulharman, "Fish Cultivation in Peat Swamp Lands," *UR Press Pekanbaru*, pp. 1–52, 2019.
- [6] Aristotle, Wardiyanto, and A. Amando Pratama, "Expert System for Disease Diagnosis in Freshwater Farmed Fish Using the Forward Chaining Method," 2015. [Online]. Available: <http://jurnal.fmipa.unila.ac.id/index.php/kokomputHal.99dari168>
- [7] A. Rohmat, B. A. Dermawan, A. Voutama, and B. Gunadi, "Expert System for Determining Types of Freshwater Fish Cultivation Based on Location and Water Quality," *J. Teknol. and Inf.*, vol. Volume 11. No.2, pp. 96–110, 2021.
- [8] D. Kurnia, R. Andika, and I. R. Wulandari, "Implementation of Forward Chaining and Certainty Factor Methods in the Betta Fish Disease Expert System," 2024.
- [9] M. A. U. Anwar and I. M. I. Subroto, "Expert System for Diagnosing Tilapia Disease Based on the Bayes Method," 2022.
- [10] P. Desi Wulansari, G. Mahasri, and Koesnoto, "Pathogenesis of Gyrodactylus: Determining the Degree of Infestation, Observing Clinical Symptoms and Gill Pathology of Goldfish (*Cyprinus carpio*)," *J. Aquac. Fish Heal.*, vol. 9, no. 1, 2020, doi: 10.20473/jafh.v9i1.
- [11] D. Febriani, R. Aziz, A. Oktaviana, and A. H. Verdian, "Prevalence of Parasites and Diseases of Jelawat Fish Seeds (*Leptobarbus hoevenii*) Raised at Different Stocking Densities," *J. Perikan. Unram*, vol. 13, no. 2, pp. 494–500, Jan. 2024, doi: 10.29303/jp.v13i2.548.
- [12] N. Nafiqoh and Y. Jasmanindar, "Observation of Erythrocytes and Leukocytes in Gourami Fish (*Osphronemus gourami*) That Received Herbal Plant Treatment and Mycobacterium Fortuitum Infection," *J. Aquatics*, vol. Vol 4 no.2, pp. 65–72, 2021.
- [13] D. Siswani Mulia and S. Vauziyyah, "Treatment of Dumbo Catfish (*Clarias gariepinus* L.) infected with *Aeromonas hydrophila* in Banyumas Regency using Api-Api Leaf Extract (*Avicennia marina*)," *Sainteks*, vol. 18, no. 1, 2021
- [14] A. Y. Anjasani, S. Anraeni, and N. Kurniati, "Expert System for Diagnosing Sinusitis Using Certainty Factor based on Android," *Bul. Sis. Inf. and Technol. Islam*, vol. 1, no. 2, pp. 79–86, 2021, doi: 10.33096/busiti.v1i2.828.
- [15] B. H. Hayadi, "Visualization of General Concepts of Multimedia-Based Expert Systems," *Riau J. Comput. Sci.*, vol. 3, no. 1, pp. 17–22, 2017.
- [16] Enny Dwi Oktaviyani, Sherly Christina, and Agry Nugraha, "Web-Based Expert System for Diagnosing Diseases Caused by Parasites in Pet Dogs," *J. Teknol. Inf.*, vol. 12.No. 1, 2018.
- [17] I. Sapta Permana and Y. Sumaryana, "Expert System for Diagnosing Skin Diseases Using the Forward Chaining Method," *JUMANTAKA*, vol. 1, no. 1, 2018.

- [18] I. As'ad, *Expert Systems & Method Implementation*. Yogyakarta: Nuta Media, 2021.
- [19] Sugiarti, "Expert System for Diagnosing Freshwater Ornamental Fish Diseases Using Web-Based Forward Chaining Methods and Bayes' Theorem," *J. Mhs. App. Technol. Comput. and Inf.*, vol. 2, no. 2, pp. 68–76, 2020.
- [20] R. Andriani and B. D. Prakoso, "Android-Based Expert System for Diagnosis of Hyperopia and Myopia in Humans Using Bayes' Theorem," *Semin. Nas. Technol. Inf. and Multimed.*, pp. 6–7, 2016.
- [21] D. Nofriansyah and R. Gunawan, "J-SISKO TECH Journal of Information Systems Technology and Computer Systems TGD Expert System for Diagnosing Pertussis (Whooping Cough) Using the Bayes Theorem Method," vol. 3, no. 1, pp. 41–54, 2020.
- [22] D. Devianty, R. Nur Ibrahim, H. Wahyudi, and S. Mardira Indonesia, "Designing an E-Archive System Using a Subject Filing System Based on the Codeigniter Framework (Case Study of Stmik Mardira Indonesia)," *J. Comput. Business*, vol. 15, no. 2, pp. 100–107, 2021.
- [23] V. H. Pranatawijaya, W. Widiatry, R. Priskila, and P. B. A. A. Putra, "Application of Likert Scales and Dichotomy Scales in Online Questionnaires," *J. Sains and Inform.*, vol. 5, no. 2, pp. 128–137, Dec. 2019, doi: 10.34128/jsi.v5i2.185.
- [24] S. Alim and P. Puji Lestari, "Expert System for Diagnosing Cocoa Plant Diseases Using the Certainty Factor Method in the Lampung Branch of the Pt Olam Indonesia (Cocoa) Farming Group," 2020.
- [25] N. Puspitasari, H. Hamdani, H. Hatta, A. Septiarini, and S. Sumaini, "Application of the Bayes Theorem Method to Detect Pests in East Kalimantan Mayas Rice Plants," *SINTECH (Science Inf. Technol. J.)*, vol. 4, no. 2, pp. 155–162, 2021, doi: 10.31598/sintechjournal.v4i2.919.

### INFO

**Corresponding Author:** [Muhammad Ikhsan Wamnebo](#), Universitas Muslim Indonesian, Jalan Urip Sumoharjo, Makassar, 90231, Indonesia.

**How to cite/reference this article:** [Muhammad Ikhsan Wamnebo](#), [Ihwana As'ad](#), [Sugiarti](#), [Selviany](#), *Expert System for Diagnosing Diseases in Catfish Using Android-Based Bayesian Probability Method*, *Asian. Jour. Social. Scie. Mgmt. Tech.* 2024; 6(5): 99-103.